



लिसंखु पाखर गाउँपालिकाको ज्यालादर तथा निर्माण सामग्रीहरूको

स्विकृत दररेट



आ.व. २०८२/८३

दररेट निर्धारण समिती

लिसंखु पाखर गाउँपालिका

अत्तरपुर, सिन्धुपाल्चोक, बागमती प्रदेश, नेपाल

२०८२ साउन



लिसंखु पाखर गाउँपालिका, सिन्धुपाल्चोकको स्विकृत दररेट, आ.व. २०८२/८३

आव मिति २०८२ साउन ०१ गते यस लिसंखु पाखर गाउँपालिकाको कार्यालयमा स्थानिय सरकार संचालन ऐन, २०७४ को दफा १३(१) बमोजिम आव २०८२/८३ को यस लिसंखु पाखर गाउँपालिकाको लागी निर्माण सामग्री, मेसिन, तथा उपकरणको दररेट र श्रमिकहरुको ज्याला निर्धारण गर्न मिति २०८२ असार २९ गते सम्पन्न गाउँ कार्यपालिकाको बैठकको निर्णयानुसार गाउँपालिकाको दररेट निर्धारण गर्न गठित समितीको अध्यक्ष एवं. यस गाउँपालिकाको पूर्वाधार विकास शाखाका ईन्जिनियर श्री कपिल श्रेष्ठको अध्यक्षता बैठक देहायका पदाधिकारीको उपस्थितीमा बैठक बसी देहाय बमोजिमका निर्णयहरु गरियो ।

उपस्थित:

- | | | |
|---------------------------------|---------------------|------------------|
| १. अध्यक्ष - श्री कपिल श्रेष्ठ | ईन्जिनियर | |
| २. सदस्य - श्री मनिष कपालि | सब-ईन्जिनियर | |
| ३. सदस्य - श्री प्रकाश पौडेल | लेखापाल | |
| ४. सदस्य - श्री पेमा तामाङ | निर्माण व्यवसायी सघ | लिसंखु पाखर गापा |
| ५. सदस्य - श्री रेशम चालिसे | सब-ईन्जिनियर | |
| ६. सदस्य - श्री गंगा दत्त कपाडी | सब-ईन्जिनियर | |

आमन्त्रित:

१. प्रमुख प्रशासकीय अधिकृत श्री बीर बहादुर बस्नेत
२. बरिष्ठ लेखा अधिकृत श्री राम प्रसाद आचार्य
३. अमिन श्री कृष्ण प्रसाद चालिसे

छलफल तथा निर्णयहरु:

चालु आव २०८२/८३ को यस गाउँपालिकाको निर्माण सामग्री, मेसिन, तथा उपकरणको-दररेट र श्रमिकहरुको ज्याला निर्धारण गर्न सिन्धुपाल्चोक जिल्लाको जिल्ला दररेट, काभ्रे जिल्लाको जिल्ला दररेट र काठमाडौं जिल्लाको जिल्ला दररेटलाई आधार मानि अघि बढ्नुपर्ने भएकाले तत जिल्लाको जिल्ला दररेटहरुको बृस्तित अध्ययन गर्ने निर्णय गरियो ।

Prakash.



लिसंखु पाखर गाउँपालिका, सिन्धुपाल्चोकको स्विकृत दररेट, आ.व. २०८२/८३

आज मिति २०८२ साउन १० गते यस लिसंखु पाखर गाउँपालिकाको कार्यालयमा स्थानिय सरकार संचालन ऐन, २०७४ को दफा १३(१) बमोजिम आव २०८२/८३ को यस लिसंखु पाखर गाउँपालिकाको लागी निर्माण सामग्री, मेसिन, तथा उपकरणको दररेट र श्रमिकहरुको ज्याला निर्धारण गर्न मिति २०८२ असार २९ गते सम्पन्न गाउँ कार्यपालिकाको बैठकको निर्णयानुसार गाउँपालिकाको दररेट निर्धारण गर्न गठित समितीको अध्यक्ष एवं. यस गाउँपालिकाको पूर्वाधार विकास शाखाका ईन्जिनियर श्री कपिल श्रेष्ठको अध्यक्षता बैठक देहायका पदाधिकारीको उपस्थितीमा बैठक बसी देहाय बमोजिमका निर्णयहरु गरियो ।

उपस्थित:

अध्यक्ष	- श्री कपिल श्रेष्ठ	ईन्जिनियर	
सदस्य	- श्री मनिष कपालि	सब-ईन्जिनियर	
सदस्य	- श्री प्रकाश पौडेल	लेखापाल	
सदस्य	- श्री पेमा तामाङ	निर्माण व्यवसायी सघ लिसंखु पाखर गापा	
सदस्य	- श्री रेशम चालिसे	सब-ईन्जिनियर	
सदस्य	- श्री गंगा दत्त कपाडी	सब- ईन्जिनियर	

आमन्त्रित:

प्रमुख प्रशासकीय अधिकृत श्री बीर बहादुर बस्नेत
बरिष्ठ लेखा अधिकृत श्री राम प्रसाद आचार्य
अभिन श्री कृष्ण प्रसाद चालिसे

छलफल तथा निर्णयहरु:

निर्णय नं. १:

चालु आव ०८२/८३ का लागी लिसंखु पाखर गाउँपालिका क्षेत्र भित्र लागु हुने गरी श्रमिकहरुको दररेट चालु आव ०८२/८३ का लागी सिन्धुपाल्चोक जिल्लाका लागी स्विकृत भएको जिल्ला दररेट बमोजिम नै हुनेछ ।



लिसंखु पाखर गाउँपालिका, सिन्धुपाल्चोकको स्विकृत दररेट, आ.व. २०८२/८३

निर्णय नं. २:

चालु आव ०८१/८२ का लागि लिसंखु पाखर गाउँपालिका क्षेत्र भित्र लागु हुने गरी ढुवानीको दररेट चालु आव ०८२/८३ का लागि सिन्धुपाल्चोक जिल्लाका लागि स्विकृत भएको जिल्ला दररेट बमोजिम नै हुनेछ । जस अनुसार वडागत रुपमा ट्रक/मिनिट्रकबाट ढुवानी हुने सामग्रीहरूको भाडाको विश्लेषण देहाय अनुसार पाइयो ।

Transportation cost of material

Ward No	reference point	Metalic Road			Non-Metalic Road			Total transportation cost (per kg)
		Distance	Rate per kg	cost per kg	Distance	Rate per kg	cost per kg	
1	Kathmandu-gps	99	0.032	3.168	8	0.052	0.416	3.58
	Pachhal-gps	56	0.032	1.792	8	0.052	0.416	2.21
	Khadichaur-gps	21	0.032	0.672	8	0.052	0.416	1.09
2	Kathmandu-gps	99	0.032	3.168	14	0.052	0.728	3.90
	Pachhal-gps	56	0.032	1.792	14	0.052	0.728	2.52
	Khadichaur-gps	21	0.032	0.672	14	0.052	0.728	1.40
3	Kathmandu-12 km (Bokarphala)	98	0.032	3.136	8	0.052	0.416	3.55
	Pachhal-12 km (Bokarphala)	36	0.032	1.152	8	0.052	0.416	1.57
	Khadichaur-12 km (Bokarphala)	12	0.032	0.384	8	0.052	0.416	0.80
4	Kathmandu-gps	99	0.032	3.168	4	0.052	0.208	3.38
	Pachhal-gps	56	0.032	1.792	4	0.052	0.208	2.00
	Khadichaur-gps	21	0.032	0.672	4	0.052	0.208	0.88
5	Kathmandu-ward office	98	0.032	3.136	0	0.052	0	3.14
	Pachhal-ward office	55	0.032	1.76	0	0.052	0	1.76
	Khadichaur-ward office	20	0.032	0.64	0	0.052	0	0.64
6	Kathmandu-ward office	97.5	0.032	3.12	0	0.052	0	3.12
	Pachhal-ward office	54.5	0.032	1.744	0	0.052	0	1.74
	Khadichaur-ward office	19.5	0.032	0.624	0	0.052	0	0.62
7	Kathmandu-ward office	94	0.032	3.008	0	0.052	0	3.01
	Pachhal-ward office	51	0.032	1.632	0	0.052	0	1.63
	Khadichaur-ward office	16	0.032	0.512	0	0.052	0	0.51

निर्णय नं. ३:

चालु आव ०८२/८३ का लागि लिसंखु पाखर गाउँपालिका क्षेत्र भित्र लागु हुने गरी निर्माण सामग्रीहरूको दररेट चालु आव ०८३/८३ का लागि सिन्धुपाल्चोक जिल्लाको दररेटमा उल्लेख भएका निर्माण सामग्रीहरू स्विकृत जिल्ला दररेटलाई आधार मानि र सोमा नभएका निर्माण सामग्रीहरूको हकमा छिमेकी जिल्ला काभ्रे र काठमाडौं जिल्लाका लागि स्विकृत भएको जिल्ला दररेटमा ढुवानी भाडा थप गरि दररेट निर्धारण गरिने निर्णय गरियो ।

निर्णय नं. ४:

यस दररेट विवरणमा उल्लेख नभएका निर्माण सामग्रीहरूको हककम चालु आव ०८२/८३ का लागि सिन्धुपाल्चोक जिल्लाको दररेटमा उल्लेख भएका सामग्रीहरूको स्विकृत जिल्ला दररेट आधार मानी र सोमा उल्लेख निर्माण सामग्रीहरूको हकमा छिमेकी जिल्ला काभ्रे र काठमाडौं जिल्लाका लागि स्विकृत भएको जिल्ला दररेटमा ढुवानी भाडा थप गरि दररेट निर्धारण गरिने निर्णय गरियो ।

निर्णय नं. ५:

चालु आव ०८२/८३ का लागि यस गाउँपालिका, सिन्धुपाल्चोक जिल्ला तथा अन्य जिल्लाको दररेटमा उल्लेख नभएका निर्माणसँग सम्बन्धित अन्य आवश्यक सामग्रीहरूको हकमा सम्बन्धित कार्यालयबाटै, नेपाल सरकारको

[Signature]

[Signature]

[Signature]

[Signature]



लिखु पाखर गाउँपालिका, सिन्धुपाल्चोकको स्विकृत दररेट, आ.व. २०८२/८३

सामित्वमा रहेको संघ, सस्थाबाट दर उपलब्ध गर्ने, ति निकायबाट दररेट उपलब्ध हुन नसक्ने अवस्थामा निर्माण सामग्रीहरूको उत्पादक वा आधिकारिक विक्रेताबाट दरभाउपत्र प्राप्त गरी कार्यान्वय गराउँन सक्ने निर्णय गरियो।

निर्णय नं. ६:

पुरातात्विक महत्वका विभिन्न निर्माण कार्यहरूमा विशेष प्रकारको दक्षता र शिप भएका श्रमिकहरूको प्रयोग हुने भएकाले ति श्रमिकहरूको दैनिक ज्याला दररेट पुरातत्व विभागबाट स्विकृत गरिएको दररेटलाई नै कायम गर्ने निर्णय गरियो। साथै, बौद्ध संस्कृतिसँग सम्बन्धित विशेष प्रकारको कार्य गर्नुपरेमा बौद्ध दर्शन प्रबर्द्धन, गुम्बा विकास समिती तथा नेपाल ललितकला प्रज्ञा प्रतिष्ठानबाट स्विकृत गरिएको दररेटलाई नै कायम गर्ने निर्णय गरियो।

निर्णय नं. ७:

मेसिन, औजार तथा उपकरणको भाडा दर सम्बन्धी: मेसिन प्रयोग गरर सडक निर्माण गर्दा वा अन्य कार्य गर्नु पर्दा डोजर, एक्साभेटर, रोलर, ग्रेडर आदिको दर सडक विभागबाट कायम गराएको प्रतिघण्टाको भाडा दर अनुसार नै हुने निर्णय गरियो। (website of Heavy Equipment Division - (www.dor.gov.np))

निर्णय नं. ८:

उल्लेखित दररेट गाउँपालिका केन्द्र (वडा नं ४) लाई आधार मानि विश्लेषण भएको हुँदा गाउँपालिका अन्य वडाहरूको हकमा नियमानुसार ढुवानी भाडा थप गरी दररेट कायम गर्ने निर्णय गरियो।

निर्णय नं. ९:

गाउँपालिका कार्यालयले निर्माण कार्य गराउँदा स्विकृत Rate analysis भन्दा फरक प्रकृतीको निर्माण कार्य गराउँनु परेमा नेपाल सरकारको सम्बन्धित विभाग, महाशाखा तथा शाखाद्वारा स्विकृत नम्सलाई आधार बनाउँने निर्णय गरियो।

निर्माण नं. १०:

पेट्रोलियम पदार्थ र लुब्रिकेन्टस् प्रोडक्ट सम्बन्धमा नेपाल आयल निगमले तोके अनुसार दररेट कायम गर्ने निर्णय गरियो।

निर्णय नं. ११:

झोलुगे पुल/ट्रस पुलमा प्रयोग हुने फलामे सामग्रीहरूको फेब्रिकेशन तथा ग्याल्भनाईजेसन सम्बन्धमा आवश्यक पर्ने ज्यामी, कच्चा पदार्थहरूको दररेट नेपाल सरकारको केन्द्रिय निकाय(स्थानिय पूर्वाधार विभाग आदी) ले निर्धारण गरेको दररेटलाई नै कायम गर्ने निर्णय गरियो।



लिसंखु पाखर गाउँपालिका, सिन्धुपाल्चोकको स्विकृत दररेट, आ.व. २०८२/८३

निर्णय नं. १२:

गाउँपालिका कार्यालयले चालु आव २०८१/८२ का लागी परामर्श सेवा दिने व्यक्ति वा विज्ञ समुहको मासिक पारिश्रमिक (Remuneration) (भ्याट बाहेक) देहाय अनुसार निर्धारण गरिएको छ । (नेपाल सरकारबाट स्विकृत तलबमान १.५ ले गुणा गरी कायम गरिएको छ ।)

क) 1st class officer सरह टिम लिडर तथा अन्य विषयगत विज्ञ: रु.८५,१५०.५०/-

ख) 2nd class officer सरह टिम लिडर वा सिनियर ईन्जिनियर वा अन्य विषयगत विज्ञ: रु.७३,१०५.५०/-

ग) 3rd class officer सरह आर्किटेक्ट, ईन्जिनियर वा अन्य विषयगत विज्ञ: रु.६५,५३३.५०/-

घ) Surveyor, Cad Operator, Sub-Engineer, Office Manager वा सो सरह: रु. ५२,०९५/-

साथै, ५ वर्षभन्दा बढी कार्य अनुभव आवश्यक पर्ने अवस्थामा corresponding professional staff को तलबमानमा १० % थप गरिने ।

[Handwritten signature]

Prakash

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]



आव २०८२/८३ का लागि लिसखु पाखीँ गाउँपालिका, सिन्धुपाल्चोकको स्विकृत दररेट

सि.नं.	तह/किसिम	एकाई	स्विकृत दररेट (भ्याट बाहेक)		
			आव ०८०/८१	आव ८१/८२	आव ८२/८३
	ज्यामी	प्रति व्यक्ति प्रति दिन	850.00	895.00	910.00
—	सिपालु	प्रति व्यक्ति प्रति दिन	1190.00	1250.00	1,270.00
—	प्लम्बर, इलेक्ट्रिसियन	प्रति व्यक्ति प्रति दिन	1190.00	1250.00	1,270.00
	दक्ष मुर्तिकार	प्रति व्यक्ति प्रति दिन	2000.00	2000.00	2,035.00
	सहायक मुर्तिकार /कालिगढ	प्रति व्यक्ति प्रति दिन	1500.00	1500.00	1,525.00
	पाले चौकिदार	प्रति व्यक्ति प्रति दिन	790.00	830.00	845.00
	Heavy equipment operator	प्रति व्यक्ति प्रति दिन	1018.00	1038.00	1,055.00
	Survey helper, Line man, Camp helper, tape men ch	प्रति व्यक्ति प्रति दिन	829.00	845.00	859.00
	साधारण मेसिन अपरेटर	प्रति व्यक्ति प्रति दिन	1008.00	1008.00	1,025.00
	भरिया (प्रति केज प्रति कोष बोकेर लैजाने)	केजी प्रति कोष	850.00	856.00	5.00
	ज्यामी सामान लोड अनलोड गर्ने	१०० किलो	27.00	27.00	24.00
1	विभिन्न किसिमको ईटा (Brick) ढुवानी सहित				
	मेशिनबाट उत्पादित ईटा	गोटा	25.41	30.11	30.58
	चिमनी भट्टाको ईट्टा (NS-01-2035) (क श्रेणी)	गोटा	21.18	20.00	20.31
	चिमनी भट्टाको ईट्टा (NS-01-2035) (ख श्रेणी)	गोटा	18.76	17.72	17.99
	ईट्टाको टुक्राहरु	घमि	2299.00	2171.00	2205.00
	पानी पट्टी(१ इनचको साइजमा १:३ को मसला)	र.मि.	79.00	79.00	79.00
4	ढुंगाको काम (Rubble Stone)		0		
	(क) खानी ढुङ्गा (Av. Lead 0.1 km. सम्मको)	घमि	1058.63	988.05	988.05
	(ख) स्थानीय ढुङ्गा (Av. Lead 0.1 km. भन्दा धेरै)	घमि	1023.34	952.76	952.76
5	छान्ने ढुंगा (Flag Stone)		0		
	२५ मिमि छिन्ना कटिड	वमि	753.09	710.05	720.81
	३७.५ मिमि छिन्ना कटिड	वमि	806.88	753.09	763.85
	५० मिमि छिन्ना कटिड	वमि	860.67	806.88	817.64
	२५ मिमि मेसिनबाट कटिड	वमि	968.26	914.46	925.22
	३७.५ मिमि मेसिनबाट कटिड	वमि	1022.05	957.50	968.26
	५० मिमि मेसिनबाट कटिड	वमि	1129.63	1065.08	1086.60
6	क्रसरबाट उत्पादित रोडागिट्टी (aggregate) ढुवानी सहित				
	(क) ४.७५-१० मी. मी. साइजका	घ.मि.	2502.09	2431.51	2431.51
	(ख) १०-२० मी. मी. साइजका	घ.मि.	2502.09	2502.09	2537.38
	(ग) २०-४० मी. मी. साइजको	घ.मि.	2502.09	2502.09	2537.38
	(घ) ४०-६३ मी. मी. साइजको	घ.मि.	2466.80	2431.51	2431.51
	क्रसर मेसिनको ढुगाको धुलो (Stone dust)	घ.मि.	2255.08	2219.79	2219.79
	क्रसर मेसिनको ६ मिमि साइजको चिप्स (Chips)	घ.मि.	2466.80	2431.51	2431.51
7	स्थानीय खोलाको ग्राभेल (Gravel)	घ.मि.	2290.36	2255.08	2255.08
8	स्थानीय खानीको ग्राभेल	घ.मि.	2290.36	2255.08	2255.08
9	खोलाको छान्नेको प्राकृतिक सिंगल गिट्टी (४० मि.मि भन्दा सानो साइजको) (Natural Aggregate)	घ.मि.	2783.16	2747.88	2747.88
7	Crusher run Sub-Base material (63mm down)/Gravel	घ.मि.	2431.51	2396.23	2396.23
	Crusher run Base material (40 mm down)	घ.मि.	2538.26	2538.26	2573.54
9	फिल्टर सामग्री		0	0	0.00
	४०% गिट्टी ६०% बालुवा मिश्रणको फिल्टर प्रयोजन	घ.फि.	0	0	0.00
11	विभिन्न प्रकारको बालुवा (Sand)		0	0	0.00



	क) बालुवा		2678.35	2643.06	2678.35
	ड) भवनको मुई कोठामा पुर्ने, सोलिङको Void filling गर्न प्रयोग गरिने बालुवा	"	917.48	1,129.20	1129.20
12	सडक कालो पत्रे गर्ने बालुको लागि		0.00	0.00	0.00
	a) 40/100 ग्रेडको विटुनीन (VG-10 grade)	के.जी	117.00	109.00	110.00
	ii) सडक कालोपत्रे गर्न विटुनीन नउष्कीनको लागि प्रयोग गर्ने सामान Anti stripping	"	360.00	510.00	510.00
	सिटो रने (RSS60%)	के.जी	102.00	102.00	98.90
	साथ रने (MS 65%)	के.जी	108.00	108.00	104.80
	सिटो रने (SS60%)	"	104.00	104.00	101.60
	iv) कालोपत्रे सडक Pot hole टाल्नको लागि प्रयोग गरिने Pre-cast Aggregate सामग्री	के.जि.	34.00	34.00	34.00
	v) कालोपत्रे सडकमा रेखांकन गर्न प्रयोग गरिने Therom Plastic Road marking सामग्री				
	vi) B.S. Grade	के.जि	194.00	194.00	194.00
	vii) Mest Grade	"	215.00	215.00	215.00
	viii) Glass beads	"	176.00	176.00	176.00
13	विभिन्न बन्नीबाट उत्पादित सिमेन्टहरु				
	OPC cement	ब्याग	764.00	724.00	764.00
	PPC cement	"	664.00	629.00	664.00
	केतो सिमेन्ट 40 kg per bag	"	1310.00	1180.00	1180.00
	सिमेन्ट लोड र अनलोड	"	13.00	12.00	12.00
14	फलामको डण्डीहरु :				
	(क) विभिन्न साइजका TMT Bar				
	b) 8 mm dia	के.जी	104.88	104.88	106.88
	c) 10,12,16,20mm dia	के.जी	102.88	101.88	103.88
	d) 25 mm dia	"	104.88	104.88	106.88
	d) 28,32 mm dia	के.जी	104.88	104.88	106.88
	(घ) Binding Wire (डण्डी बाँध्नेतार)	"	130.88	123.88	125.88
15	Iron Square Pipe/Black Pipe/Channel/ Angle/I-Beam/Black Sheet/MS Plate				
	i) Iron Square Pipe	के.जी	106.00	106.00	106.00
	ii) विभिन्न साइजको MS Angle	के.जी	108.00	108.00	108.00
	iii) विभिन्न साइजको Black Pipe	के.जी	106.00	106.00	106.00
	iv) विभिन्न साइजको Channel	के.जी	110.00	110.00	110.00
	v) विभिन्न साइजको I-Beam	के.जी	112.00	112.00	112.00
	vi) विभिन्न साइजको MS plate	के.जी	106.00	106.00	106.00
	vii) विभिन्न साइजको MS Square solid bar up to 16mm	के.जी	108.00	108.00	108.00
	viii) विभिन्न मोटाइको Black sheet	के.जी	108.00	108.00	108.00
21	फलामबाट निर्मित सामानहरु		0.00	0.00	0.00
	फलाम सामग्रीको फेब्रिकेसन तथा जडान कार्य	के.जी	55.00	55.00	55.00

Signature

Signature

Signature

Signature

Prakash



जस्ता पातको तयारी दुबलर दुन किटिड र फिक्सिड सहित	"	236.00	236.00	236.00
MS angle को तयारी दुन	"	155.00	155.00	155.00
MS grill बनाई कालो जस्ता रेट जस्ताइड पेट सहित जडान गर्ने	"	174.00	174.00	174.00
जस्ता कोणोमिटर पेट पेटिड र जडान कार्य	व.मि	6569.00	6569.00	6569.00
15-16 गेजको जस्ता रेटिड कटर बनाई जडान गर्ने	"	4676.00	4676.00	4676.00
16 गेजको जस्ता रेटिड कटर बनाई जडान गर्ने (Sheeted को रेट रेट)	"	8404.00	8707.00	8704.00
3"-4" जस्ता Iron black pipe मा एगल र पट्टी राखी Spiral staircase तयार गरि Measurement = Floor to height)	र.मि.	3793.00	3793.00	3793.00
16 G.I. Wire		0.00	0.00	0.00
a) 10 gauge light class	के.जी	118.00	118.00	93.00
b) 10 gauge medium class	"	125.00	125.00	99.00
c) 10 gauge heavy duty	"	131.00	131.00	104.00
d) 11 gauge light class	के.जी	118.00	118.00	93.00
e) 11 gauge medium class	"	125.00	125.00	99.00
f) 11 gauge heavy duty	"	131.00	131.00	104.00
g) 12 gauge light class	के.जी	120.00	120.00	95.00
h) 12 gauge medium class	"	126.00	126.00	99.00
i) 12 gauge heavy duty	"	131.00	131.00	107.00
Machine Made Gabion Box				
Mechanically selvedged double twist mesh size को जस्ता कोटिड तयारी ग्याबिन बक्स mesh size 100*120, mesh wire 3.00 mm, selvedge wire 3.9mm and lacing wire 2.4 mm	वमि	291.90	257.25	283.50
17 Barbed Wire (काँढातार)		0.00	0.00	0.00
a) 12 guage commercial ,Medium duty	के.जी	120.00	120.00	95.00
b) U Hook for bar bed Wire Fencing	गोटा	1.05	1.05	1.05
18 सादा तथा रंगिन जस्ता पाता (Plain/Corrugated Galvanized/Colour Iron Sheet)				
(क) सेतो सादा जस्तापाता (plain CGI Sheet)				
a) 28 गेज Light (0.26 mm)	व.मि.	398.92	398.92	398.92
b) 28 गेज Medium (0.28 mm)	"	425.11	425.11	425.11
c) 28 गेज Heavy (.30 mm)	"	464.69	464.69	464.69
a) 26 गेज Light (0.35 mm)	"	514.81	514.81	514.81
b) 26 गेज Medium (0.38 mm)	"	540.43	540.43	540.43
c) 26 गेज Heavy (0.41 mm)	"	591.97	591.97	591.97
a) 24 गेज Light (0.45 mm)	"	642.37	642.37	642.37
b) 24 गेज Medium (0.50 mm)	"	706.44	706.44	706.44
c) 24 गेज Heavy (0.52 mm)	"	731.21	731.21	731.21
(ख) रंगिन जस्तापाता		0.00	0.00	0.00
a) 28 गेज Light (0.26 mm)	व.मि.	486.33	486.33	486.33
b) 28 गेज Medium (0.28 mm)	"	514.52	514.52	514.52
c) 28 गेज Heavy (0.31 mm)	"	553.25	553.25	553.25
a) 26 गेज Light (0.35 mm)	"	611.33	611.33	611.33
b) 26 गेज Medium (0.38 mm)	"	641.23	641.23	641.23
c) 26 गेज Heavy (0.41 mm)	"	694.76	694.76	694.76
a) 24 गेज Light (0.45 mm)	"	745.44	745.44	745.44
b) 24 गेज Medium (0.50 mm)	"	810.08	810.08	810.08
c) 24 गेज Heavy (0.52 mm)	"	837.70	837.70	837.70
CGI सादा जस्ता पाता को घुरी (Ridge Cover) Specified thickness are thickness of base metal.				
सादा cgi जस्ता पाता				
a) 28 गेज Light (0.26mm)	व.मि.	134.40	134.40	134.40
b) 28 गेज Medium(0.28mm)	"	143.79	143.79	143.79

[Signature]

[Signature]

[Signature]

[Signature]

[Signature]

Prakash

c) 28 गेज Heavy (0.31mm)		156.04	156.04	156.04
a) 26 गेज Light(0.35mm)		173.12	173.12	173.12
b) 26 गेज Medium(0.38mm)		181.66	181.66	181.66
c) 26 गेज Heavy (0.41mm)		198.75	198.75	198.75
४ मिटर * ८ मिटर को बि.बाई. प्लेन सिट				
का ०.२८ मि.मि मोटाईको, २८ गज	रिम	467.4	467.4	467.40
का ०.३० मि.मि मोटाईको, २९ गज	"	590.4	590.4	590.40
का ०.४ मि.मि मोटाईको	"	635.5	635.5	635.50
का ०.४१ मि.मि मोटाईको	"	707.25	707.25	707.25
का ०.४१ मि.मि मोटाईका (12.05 Kg.), 24 gauge	"	772.85	772.85	772.85
का ०.४२ मि.मि मोटाईका	"	947.1	947.1	947.10
का ०.४३ मि.मि मोटाईका	"	1135.7	1135.7	1135.70
४ मिटर * ८ मिटर को रजिन प्लेन सिट				
का ०.२८ मि.मि मोटाईको, २८ गज	रिम	547.35	547.35	547.35
का ०.३० मि.मि मोटाईको, २९ गज	"	674.45	674.45	674.45
का ०.४ मि.मि मोटाईको	"	729.8	729.8	729.80
का ०.४१ मि.मि मोटाईको	"	797.45	797.45	797.45
का ०.४२ मि.मि मोटाईका (12.05 Kg.), 24 gauge	"	869.2	869.2	869.20
का ०.४२ मि.मि मोटाईका	"	1045.5	1045.5	1045.50
का ०.४३ मि.मि मोटाईका	"	1221.8	1221.8	1221.80
Corrugated Fibre Glass sheet For Roofing 0.8 mm thick	बर्मि	1400	1400	1400.00
19 एलुमिनियम प्लेन सिट				
(क) २९ गेज	व.फि.	0	33	33.00
(ख) ३० गेज	"	0	31	31.00
(ग) 3mm thick Aluminium Composite Pannel	"			
20 विभिन्न प्रकारको जालीहरु (Netting)				
(क) मसिनो खालको Mosquito proof जाली	व.मी	137	137	137.00
(ख) बालुवा चाल्ने जाली	"	143	143	143.00
(ग) कुखुरे जाली (Chicken wire mesh)	"	87	87	87.00
(घ) ब्रास कसिङ्ग जाली	"	224	224	224.00
22 विभिन्न किसिमका काठहरु, Wood				
(क) १ लाइन चौडाई ४ लाइन मोटाईको काठको लिस्ती	मिटर	19.00	17.00	17.00
(ख) स्थानीय कडा काठ (चिरान) (चिलाउँने, कटुस, फलाट, बसु, बाँफ आदी)	घ. फि	1840.00	1840.00	1840.00
(ग) स्थानीय नरम काठ (उत्तीस, सल्लो आदि)	"	1235.00	1235.00	1235.00
(घ) स्थानीय सालको काठ	"	4200.00	4200.00	4200.00
(झ) काठ दाउरा	के.जी	22.00	22.00	22.00
Ready made teak wood doors (Seasoned & poisoned treated) (excluding the cost of fitting, transportation, painting)				
Ready made door shutter Recon, ordinary (1 side teak)	व.फि.	206.85	206.85	206.85
Ready made door shutter Recon, special (1 side teak)	व.फि.	281.40	281.40	281.40
Oneside water proof ply fitting				
Ready made door shutter Recon, ordinary (1 side teak)	व.फि.	237.30	237.30	237.30
Ready made door shutter Recon, special(1 side teak)	व.फि.	318.15	318.15	318.15

[Signature]

[Signature]

[Signature]

[Signature]


[Signature]

Prakash.



23	विभिन्न मोटाईको प्लाइउडहरू				
	Commercial				
	(क) ३ मी.मी	व.मि	254.00	254.00	254.00
	(क) ३.५ मी	व.मि	254.00	254.00	254.00
	(ख) ४ मी.मी	"	302.00	302.00	302.00
	(ग) ६ मी.मी	"	480.00	480.00	480.00
	(घ) ८ मी.मी	"	534.00	534.00	534.00
	(ड) १२ मी.मी	"	815.00	815.00	815.00
	(च) १८ मी.मी	"	1187.00	1187.00	1187.00
	(च) १९ मी.मी	"	1187.00	1187.00	1187.00
	Water Proof				
	(क) ४ मी.मी	व.मि	556.00	556.00	556.00
	(क) ६ मी.मी	व.मि	771.00	771.00	771.00
	(ख) ८ मी.मी	"	836.00	836.00	836.00
	(ग) १२ मी.मी	"	1057.00	1057.00	1057.00
	(घ) १९ मी.मी	"	1467.00	1467.00	1467.00
	Natural Teak Plywood				
	One side lamination				
	(क) ३ मी.मी	व.फि	673	673	673.00
	(ख) ४ मी.मी	"	882	882	882.00
	(ग) ६ मी.मी	"	429	429	429.00
24	Prelaminated Particle Board				
	Plain Particle Board (Exteriors Grade)				
	(क) ३ मी.मी	व.फि	429	429	429.00
	(ख) ४ मी.मी	"	476	476	476.00
	(ग) ६ मी.मी	"	615	615	615.00
	(घ) ९ मी.मी	"	823	823	823.00
	One side lamination Melaminated faced (Exteriors Grade)				
	(क) ३ मी.मी	व.फि	859	859	859.00
	(ख) ४ मी.मी	"	964	964	964.00
	(ग) ६ मी.मी	"	1137	1137	1137.00
	(घ) ९ मी.मी	"	1474	1474	1474.00
	Both side lamination Melaminated faced (Exteriors Grade)				
	(क) ३ मी.मी	व.फि	964	964	964.00
	(ख) ४ मी.मी	"	1103	1103	1103.00
	(ग) ६ मी.मी	"	1276	1276	1276.00
	(घ) ९ मी.मी	"	1613	1613	1613.00
	Plain Particle Board (Interiors Grade)				
	(क) ३ मी.मी	व.फि	313	313	313.00
	(ख) ४ मी.मी	"	359	359	359.00
	(ग) ६ मी.मी	"	533	533	533.00
	(घ) ९ मी.मी	"	684	684	684.00
	One side lamination Melaminated faced (Interiors Grade)				
	(क) ३ मी.मी	व.फि	464	464	464.00
	(ख) ६ मी.मी	"	661	661	661.00
	(ग) ९ मी.मी	"	754	754	754.00
	(घ) १२ मी.मी	"	859	859	859.00
	(ड) १८ मी.मी	"	998	998	998.00
	(च) २५ मी.मी	"	1242	1242	1242.00
	Both side lamination Melaminated faced (Interiors Grade)				
	(क) ३ मी.मी	व.फि	533	533	533.00

Handwritten signatures and names at the bottom of the page, including 'Prakash'.



का ३ मी.मी.		720	720	720.00
का ४ मी.मी.		859	859	859.00
One side lamination Melaminated faced (Interiors Grade)MDF				
का ३ मी.मी.	व.फि	533	533	533.00
का ४ मी.मी.	"	615	615	615.00
का ५ मी.मी.	"	754	754	754.00
का ६ मी.मी.	"	986	986	986.00
Both side lamination Melaminated faced (Interiors Grade)MDF				
का ३ मी.मी.	व.फि	615	615	615.00
का ४ मी.मी.	"	684	684	684.00
का ५ मी.मी.	"	847	847	847.00
का ६ मी.मी.	"	1055	1055	1055.00
25 Other Hard Board/Sunmica & Formaica)				
का सनमाईका (4' x 8')	पाता	524	524	524.00
का फोर्माईका	व.फि	871	871	80.95
का हार्डबोर्ड (Hard board) 12 mm thick	"	510	510	47.40
26 Glass शीश				
Plain कादा (सेतो)				
का ३ मी.मी.	व.मि	610.00	610.00	610.00
का ४ मी.मी.	व.मि	675.00	675.00	675.00
का ५ मी.मी. "	"	1040.00	1040.00	1040.00
का ६ मी.मी. "	"	1205.00	1205.00	1205.00
Printed Glass (बुट्टेदार सिसा)				
का ३ मी.मी.	व.मि	550.00	550.00	550.00
का ४ मी.मी. " "	"	645.00	645.00	645.00
Poly Fibre Glass				
का ०६ मी.मी.	"	1680.00	1680.00	1680.00
Black Color Glass				
का ३ मी.मी.	व.मि	1040.00	1040.00	1040.00
का ४ मी.मी.	व.मि	1125.00	1125.00	1125.00
का ५ मी.मी.	व.मि	1280.00	1280.00	1280.00
का ६ मी.मी.	"	1760.00	1760.00	1760.00
का ८ मी.मी.	"	2570.00	2570.00	2570.00
का १० मी.मी.	"	3685.00	3685.00	3685.00
का १२ मी.मी.	"	4160.00	4160.00	4160.00
Tinted Float glass बाहिर बाट नदेखिने भित्रबाट देखिने				
(क) ५ मि.मि बाक्लो	व.मि.	1250.00	1250.00	1250.00
छानामा प्रयोग गरिने बुट्टेदार ऐना Itching Glass with simple shade and texture				
(क) ४ मी.मी. बाक्लो	व.मि.	5985.00	5985.00	5985.00
विभिन्न रंगको Reflector Glass (शिश)				
५ मी.मी मोटो	व.मि	1915.00	1915.00	1915.00
Note: ४ फिट * ८ फिट भन्दा बढी साइजको सिसा भएमा ५० % थप रकम लाग्ने छ।				
28 भ्याल ढोकामा लाग्ने Fixture हरु				
Iron बाट बनेका				
Hinge (कन्ना)				
(क) ३" लामो	गोटा	17.00	17.00	17.00
(ख) ४" लामो	"	30.00	30.00	30.00
(ग) ५" लामो	"	45.00	45.00	45.00
(घ) ६" लामो	"	57.00	57.00	57.00

[Handwritten signatures]

[Handwritten signature]


[Handwritten signature]

Prakash.


Locking Set (L-drop) फलामबाट बनेको	गोटा			
300 mm	गोटा	265.00	265.00	265.00
225 mm	"	230.00	230.00	230.00
150 mm	"	197.00	197.00	197.00
Aluminum बाट बनेका				
Towerbolt (डिस्कीनी)				
(क) ३" लामो	गोटा	21.00	21.00	21.00
(ख) ४" लामो	"	42.00	42.00	42.00
(ग) ६" लामो	"	68.00	68.00	68.00
(घ) ८" लामो	"	81.00	81.00	81.00
(ड) १०" लामो	"	95.00	95.00	95.00
(च) १२" लामो	"	108.00	108.00	108.00
पित्तल बाट बनेका Brass				
Towerbolt (डिस्कीनी)				
(क) ३" लामो	गोटा	145.00	145.00	145.00
(ख) ४" लामो	"	190.00	190.00	190.00
(ग) ६" लामो	"	286.00	286.00	286.00
(घ) ८" लामो	"	382.00	382.00	382.00
(ड) १०" लामो	"	480.00	480.00	480.00
(च) १२" लामो	"	575.00	575.00	575.00
Aluminum Handle (हतकल)				
Ordinary	गोटा	33.00	33.00	33.00
Special	"	48.00	48.00	48.00
Brass बाट बनेका				
Hinge (कम्पा)				
2" x 1/2"	गोटा	65.00	65.00	65.00
2 1/2" x 3/4"	"	75.00	75.00	75.00
3" x 3/4"	"	90.00	90.00	90.00
2" x 3/4"	"	75.00	75.00	75.00
2 1/2" x 3/4"	"	80.00	80.00	80.00
3" x 3/4"	"	90.00	90.00	90.00
3" x 1"	"	190.00	190.00	190.00
4" x 1"	"	285.00	285.00	285.00
5" x 1"	"	380.00	380.00	380.00
6" x 1"	"	465.00	465.00	465.00
Towerbolt (डिस्कीनी) Aluminum बाट बनेको पोलीस सहित				
(क) ३" लामो	गोटा	21.00	21.00	21.00
(ख) ४" लामो	"	42.00	42.00	42.00
(ग) ६" लामो	"	68.00	68.00	68.00
(घ) ८" लामो	"	0.00	81.00	81.00
(ड) १०" लामो	"	0.00	95.00	95.00
(च) १२" लामो	"	108.00	108.00	108.00
Handle (हतकल) ब्रासबाट बनेको				
5"	गोटा	145.00	145.00	145.00
6"	"	155.00	155.00	155.00
8"	"	465.00	465.00	465.00
10"	"	960.00	960.00	960.00
Brass Locking Set (L-drop)				
(क) ८" लामो	गोटा	960.00	960.00	960.00
(ख) १०" लामो	"	1580.00	1580.00	1580.00
(ग) १२" लामो	"	1755.00	1755.00	1755.00
Locking Set, 250 mm				
आल्मसिनियम		0.00	0.00	0.00
		405.00	405.00	405.00







	ब्रास		1640.00	1640.00	1640.00
	स्टील		325.00	325.00	325.00
	Special Fittings				
	एल ड्रप :-				
	८" लामो	गोटा	1075.00	1075.00	1075.00
	१०" लामो	"	1210.00	1210.00	1210.00
	१२" लामो	"	1260.00	1260.00	1260.00
	ह्याण्डल :-		0.00	0.00	0.00
	८" लामो	"	1260.00	1260.00	1260.00
	डबल कलर (गोल्ड सिल्भर/ब्ल्याक सिल्भर)				
	एल ड्रप :-				
	८" लामो	गोटा	900	900	900.00
	१०" लामो	"	1140	1140	1140.00
	१२" लामो	"	1260	1260	1260.00
	ह्याण्डल :-				
	६" लामो	"	255	255	255.00
	८" लामो	"	385	385	385.00
	Mortice Lock				
	Ordinary	गोटा	630	630	630.00
	Chinese	"	420	420	420.00
	Indian Godrej Company	"	2580	2580	2580.00
	Brass	"	1140	1140	1140.00
	Door Spring (Door Closer)				
	Ordinary	गोटा	180	180	180.00
	hydraulic	"	1890	1890	1890.00
	Other Door/Windows fixtures				
	Window I-hook	गोटा	19	19	19.00
	Gate Hook				
	4"	गोटा	32	32	32.00
	5"	"	35	35	35.00
	6"	"	43	43	43.00
	Brass gate hook	"	76	76	76.00
	Door stopper				
	Butterfly	"	150	150	150.00
	Bell catch 2" size	"	200	200	200.00
	C.P. handle	"	430	430	430.00
	Power coated handle	"	410	410	410.00
	Brass coated handle	"	885	885	885.00
	Door stopper, single brass stopper	सेट	100	100	100.00
	Door stopper double brass stopper	"	180	180	180.00
29	विविध सामग्रीहरू Different material				
	Hold fast different sizes (7 nos./Kg.)	के.जी.	150.00	150.00	150.00
	Nails (different sizes)	के.जी.	135.00	135.00	135.00
	विटुमिन वासर	गोटा	3.00	3.00	3.00
	जे हुक	केजि	166.00	166.00	166.00
	कटोरी वासर	केजि	0.00	0.00	0.00
	Nut and Bolts (different sizes)	गोटा	36.00	36.00	36.00
	Nut and Bolts (different sizes)	के.जी.	201.00	201.00	201.00
	Screw Brass				
	20mm	गोटा	3.00	3.00	3.00
	25mm	"	4.00	4.00	4.00
	35mm	"	5.00	5.00	5.00
	50mm	"	15.00	15.00	15.00
	75mm	"	18.00	18.00	18.00

 Prakash.

	Screw Steel				
	20mm	गोटा	1.00	1.00	1.00
	25mm	"	2.00	2.00	2.00
	35mm	"	2.00	2.00	2.00
	50mm	"	9.00	9.00	9.00
	75mm	"	10.00	10.00	10.00
	जुट खाली बोरा	गोटा	18.00	18.00	52.00
	पोलिथिनको खाली बोरा	गोटा	18.00	18.00	18.00
	वास, स्थानीय २० फिट भन्दा बढी	बटा	250.00	250.00	250.00
	वास, सानो	"			
	माटो	घ.मि.	268	268	268.00
	माटो कमेरो	केजि	0	0	10.00
	भुस	के.जि.	5.00	5.00	8.00
	गोबर	के.जि.	5.00	5.00	7.00
	जुटको डोरी, ५ मिटर लामो	"	27.00	25.00	25.00
	Staircase को 3/4" x 3/4" square pipe मा लगाउने Brass cap	गोटा	93.00	93.00	93.00
	Staircase को 1" x 1" square pipe मा लगाउने Brass cap	गोटा	98.00	98.00	98.00
	Tarpoline sheet (तारपोलिन सिट)	व.फि.	9	9	9.00
32	Marble Rajasthani				
	१३ मी.मी बाक्लो राजस्थानी	व.फि.	183.75	183.75	183.75
	१६ मी.मी बाक्लो राजस्थानी	व.फि.	189.31	189.31	189.31
	१६ मी.मी बाक्लो ग्रेनाइट	व.फि.	267.75	349.35	349.35
	१९ मी.मी बाक्लो ग्रेनाइट	व.फि.	304.50	390.33	390.33
	१२ मी.मी बाक्लो ग्रेनाइट	व.फि.		341.25	341.25
33	Porcelain Glazed/Terrazo Mosaic Tiles				
	Porcelain Glazed Tiles				
	Border Tile -2"X8"	र.फि.	47.25	47.25	47.25
	Indian Ceramic wall tile-31X45 cm	व.फि.	198.29	198.29	198.29
	Floor tile-31cmX45cm	व.फि.	165.89	165.89	165.89
	Floor tile-12"X12"	व.फि.	97.65	96.60	94.50
	wall tile-12"x24"	व.फि.	143.85	141.75	141.75
	wall tile-12"x18"	व.फि.	114.45	112.35	112.35
	GVT Floor tile (Glazed verified tile(600x600)	व.फि.	207.90	160.65	160.65
2	छाना छाउने क्ले टायलहरु				
	क) मेसिनबाट उत्पादित टायल	गोटा	18.00	18.00	18.00
	ख) चिमनी भट्टाको टायल	"	16.00	16.00	16.00
	ग) मेसिनबाट उत्पादित धुरी	"	32.00	32.00	32.00
	घ) चिमनी भट्टाको धुरी	"	26.00	26.00	26.00
3	भुईँमा/ कौसीमा छाप्ने क्ले टायल:				
	क) मेसिनबाट उत्पादित क्ले टायल	गोटा	10.00	10.00	10.00
	ख) चिमनी भट्टाको क्ले टायल	"	9.00	9.00	9.00
31	रंगरोगनका सामानहरु				
	(क) कृषि चुनबाट उत्पादित सेतो चुन	के.जि.	19.60	19.60	19.60
	(ख) विभिन्न प्रकारको रंगिन चुन	"	36.30	36.30	36.30
	(ग) विभिन्न प्रकारको भारतीय चुन रंगिन	"	40.20	40.20	40.20
	(घ) सिमेन्ट पेन्ट (Cement Paints)	के.जि.	75.50	75.50	75.50
	(ङ) साधारण सेन्थेटिक इनामेल पेन्ट	लिटर	535.10	535.10	535.10
	च) नेपाल रेडको म्याट फिनिशिंग	लिटर	515.50	515.50	515.50
	छ) उड प्राइमर (Wood Primer)	लिटर	383.20	383.20	383.20
	(ज) कोरुगेटेड रुफ Paint	"	485.10	485.10	485.10
	(झ) तयारी अल्मुनियम पेन्ट	"	556.60	556.60	556.60
	(ञ) तयारी वार्नेस	"	448.80	448.80	448.80






 Prakash

	(ट) तयारी वार्नर सेन्थेटिक	"	346.90	346.90	346.90
	(ठ) भारतीय थिनर	"	234.20	234.20	234.20
	ड) उड एण्ड ग्लास पुटिन	के.जी	337.10	337.10	337.10
	ढ) मेटल पुटिन	"	157.80	157.80	157.80
	ण) चुना पेन्ट गर्न राख्ने गम	"	206.80	206.80	206.80
	त) नेपाली थिनर	लिट्र	222.50	222.50	222.50
	(थ) सिमेन्ट प्राइमर सेतो	"	273.40	273.40	273.40
	(द) तारपिन तेल	"	218.50	218.50	218.50
	(ध) रेड अक्साइड पेन्ट (Red oxide Paint)	"	266.60	266.60	266.60
	(न) उड प्रिजर मेटिङ्ग पेन्ट	"	232.30	232.30	232.30
	(प) Black japan Paint	"	291.10	291.10	291.10
	(फ) राम तिलक	के.जि.	56.80	56.80	56.80
	(ब) रातो माटो (गेरु रंग)	के.जि.	139.20	139.20	139.20
	(भ) चप्रा पालिस	के.जि.	933.90	933.90	933.90
	(म) तयारी बासेवल डिस्टेम्पर	लि.	227.40	227.40	227.40
	य) तयारी प्लास्टिक्स इमल्सन पेन्ट - Interior	लि.	536.10	536.10	536.10
	य) तयारी प्लास्टिक्स इमल्सन पेन्ट - Exterior	"			
	Plastic Emulsion paint	"			
	तयारी Exterior weather coat	"	642.90	642.90	642.90
	(र) Road Marking Paint	"	590.00	590.00	590.00
	(ल) लिन्सिड आयल (linsed Oil)	"	199.90	199.90	199.90
	(व) स्थानीय स्प्रिट	लि.	120.50	120.50	120.50
	(स) मोबिकल/फेबिकल	के.जि.	266.60	266.60	266.60
	मैन पालिस	"	0.00	0.00	367.00
	(प) Tata Red Oxide Paint	"	266.60	266.60	266.60
	वाल पुटिङ (wall proof)	"	70.60	70.60	70.60
	Paint Brush-1"	गोटा	70.00	74.00	74.00
	Paint Brush-2"	"	140.00	149.00	149.00
	Paint Brush-3"	"	210.00	223.00	223.00
	Paint Brush-4"	"	280.00	298.00	298.00
	Roller for coloring	"	400.00	426.00	426.00
	खाक्सी (sand paper)	"	8.00	8.00	6.00
*	(क) White putty Plain	के.जि.	38.00	38.00	38.00
	(ख) White putty-water proof	के.जि.	63.00	63.00	63.00
28	Marble chips				
	क) सेतो रंगको मार्बल चिप्स (२५ के.जी प्रति बोरा)	बोरा	187.00	187.00	187.00
	ख) रंगीन मार्बल चिप्स (२५ के.जी प्रति बोरा)	बोरा			187.00
	ग) क्रेजी मार्बल (६ वर्ग फिट प्रति बोरा)	बोरा			200.00
	घ) मार्बल पाउडर (२५ के.जी प्रति बोरा)	बोरा			170.00
	(ङ) Plaster of Parish (POP)	के.जि.	23.50	23.50	23.50
36	Thai gypsum board बाट उत्पादन भएको सामानहरु				
	iii) Wall partition	व.फि	116.58	116.58	116.58
	iv) Wall paneling	"	77.42	77.42	77.42
	12.5mm thick Gypsum Board False ceiling including all necessary material	"	68.58	68.58	68.58
	Vinyl laminated gypsum ceiling board (7mm thick)	"	95.00	95.00	95.00
37	स्टेनलेस स्टील पाइप (२३४ प्रति के.जी)				
	३/४" व्यास भएको १६ गेज मोटाई	मी.	291.00	291.00	291.00
	१" व्यास भएको १६ गेज मोटाई	मी.	366.00	366.00	366.00
	१ १/४" व्यास भएको १६ गेज मोटाई	मी.	466.00	466.00	466.00
	१ १/२" व्यास भएको १६ गेज मोटाई	मी.	565.00	565.00	565.00
	२" व्यास भएको १६ गेज मोटाई	मी.	758.00	758.00	758.00










38	सिमेन्टमा, बालुवा, गिट्टी आदिको काम तथा सामानहरु सम्बन्धी	२०७३			
	Concrete block				
	300X100X150 mm	गोटा	33.00	31.00	31.00
	400X100X200 mm	गोटा	35.00	33.00	34.00
	400X150X200 mm	गोटा	40.00	37.00	38.00
	hollow block (16"x8"x6")	गोटा	79.00	37.00	37.00
	hollow block (16"x8"x4")	गोटा	70.00	32.00	32.00
	60 mm thick CC block				
	brick type (23x11) non color	गोटा	10.00	10.00	10.00
	hexagonal (22x22 cm) non color	गोटा	23.00	23.00	23.00
	hexagonal (22x22 cm) color	गोटा	25.00	25.00	25.00
	Cellular light weight concrete (CLC) block				
	24"x8"x4"	गोटा	124	124	124.00
	24"x8"x6"	गोटा	187	187	187.00
	24"x8"x8"	गोटा	250	250	250.00
	Autoclaved Aerated Concrete Block (Cemend Based)				
	2"x8"x4"	गोटा	137	137	137.00
	2"x8"x6"	गोटा	205	205	205.00
	2"x8"x8"	गोटा	276	276	276.00
	Interlocking Cement Concrete Block		0	0	0.00
	e) Curb stone M-30 grade.	र.मि.	1103	1103	1103.00
	25 mm thick C.C. Tile (Grey color)				
	Burfi Checker	Sqft	60	60	60.00
	Round Checker	"	60	60	60.00
	Boby Checker	"	60	60	60.00
	25 mm thick C.C. Tile (Red color)				
	Burfi Checker	Sqft	62	62	62.00
	Round Checker	"	62	62	62.00
	Boby Checker	"	62	62	62.00
	50 mm thick CC Block (Grey color)				
	Cosmix	Sqft	70	70	70.00
	Hexagon	"	70	70	70.00
	Threehex	"	70	70	70.00
	Royal tone Interlock	"	70	70	70.00
	I-Interlock	"	70	70	70.00
	Plus Interlock	"	70	70	70.00
	50 mm thick CC Block (Red color)				
	Cosmix	Sqft	70	70	70.00
	Hexagon	"	70	70	70.00
	Threehex	"	70	70	70.00
	Royal tone Interlock	"	70	70	70.00
	I-Interlock	"	70	70	70.00
	Plus Interlock	"	70	70	70.00
	60 mm thick CC Block (Grey color)		0	0	0.00
	Cosmix	Sqft	72	72	72.00
	Hexagon	"	72	72	72.00
	Threehex	"	72	72	72.00
	Royal tone Interlock	"	72	72	72.00
	I-Interlock	"	72	72	72.00
	Plus Interlock	"	72	72	72.00
	60 mm thick CC Block (Red color)				
	Cosmix	Sqft	73	73	73.00

07/10/23

07/10/23

07/10/23

07/10/23

Prakash

	Hexagon	"	73	73	73.00
	Threehex	"	73	73	73.00
	Royal tone Interlock	"	73	73	73.00
	I-Interlock	"	73	73	73.00
	Plus Interlock	"	73	73	73.00
	70 mm thick CC Block (Red color)				
	Cosmix	Soft	62	62	62.00
	Hexagon	"	62	62	62.00
	Threehex	"	62	62	62.00
	Royal tone Interlock	"	62	62	62.00
	I-Interlock	"	62	62	62.00
	Plus Interlock	"	62	62	62.00
46	परम्परागत निर्माण सामग्रीहरू :-				
	१) दचि अपा ठूलो ८"×२-३/८"×५"	गोटा	0	0	29.00
	२) दचि अपा सानो ८३/८"×२-१/८"×४-१/४"	"	0	0	22.00
	३) दचि अपा ठूलोको कुँ	"	0	0	35.00
	४) दचि अपा सानोको कुँ अपा	"	0	0	29.00
	५) माँ अपा ठूलो ८-७/८"×२-१/४"×५-३/४"	"	0	0	0.00
	६) माँ अपा ठूलो 241x60x158 mm	"	0	0	35.00
	७) मा अपा सानो ८-३/८"×२"×५"	"	0	0	21.00
	८) धुरी चाङ्ग ठूलो ९-३/८"×५-१/२"×३/४"	"	0	0	31.00
	९) धुरी 230x295x25 mm	"	0	0	0.00
	१०) धुरी चाँड सानो	"	0	0	25.00
	११) भिगटी नयाँ ८-३/४"×४"	गोटा	0	0	15.00
	१२) भिगटी पुरानो	गोटा	0	0	10.00
	१३) ढुक्कु	गोटा	0	0	53.00
	का)साना	"	0	0	150.00
	ख)ठुलो	"	0	0	303.00
	१७) पेटीकोलागि ढुङ्गा				
	क) १८"×१०"×५"	"	0	0	0.00
	ख) १८"×१०"×४"	"	0	0	769.00
	१८) नागोल ईटा	गोटा	0	0	26.00
	२०) फःल्होह अपा ठूलो 375x225x100mm	"	0	0	227.00
	२१) फःल्होह अपा सानो 254x229x102mm	"	0	0	190.00
	२२) तीनकुनै तेलिया ईटा (९"×९"×२-१/४"	"	0	0	20.00
	२३) तीनकुनै तेलिया ईटा (६"×६"×२-१/४"	"	0	0	14.00
	२४) चारकुनै तेलिया ईटा (८"×८"	"	0	0	26.00
	२५) तेलिया ईटा (६"×६"	"	0	0	20.00
	२६) बुट्टेदारी कर्निश इटा (काशीमोहर)	"	0	0	38.00
	२७) बुट्टेदारी कर्निश इटा कुना	"	0	0	58.00
	२८) बुट्टेदारी कर्निश इटा ठूलो 222x273x76mm	"	0	0	227.00
	२९) भ्याल माथिको कर्निश इटा बुट्टेदारी	"	0	0	47.00
	३०) काठको कर्निश माथिको इटा ११×६×२.५"	"	0	0	76.00
	३४) भौ प्वा	गोटा	0	0	303.00
	३५) तामा पाता	केजि	0	0	1452.00
	३६) पितल पाता	केजि	0	0	114.00
	३७) पारो	तोला	0	0	227.00
	३८) सुर्कि इटा कुटि धुलो बनाएको ।	टन	0	0	1815.00
	३९) Wind bell हवा घण्टी ४"	गोटा	0	0	621.00
	४०) Snake body brick traditional	गोटा	0	0	35.00
	४१) Snake neck brick ,,	गोटा	0	0	99.00
	४२) Snake head brick ,,	गोटा	0	0	194.00

[Signature]

[Signature]

[Signature]

Prakash

48	Aerocon/Rapicon prefab Panel for Partition wall				
	Cement board Aerocon c board				
	6mm thick	Sqft	36	36	36.00
	8 mm thick	Sqft	44	44	44.00
	10 mm thick	Sqft	56	56	56.00
	12 mm thick	Sqft	68	68	68.00
	Supply and erection of different mm th cement base prefabricated everest solid wall panel (rapicon) non abestos including 1.1 mm thick GI channel with necessary accessories and fittings charge in partation wall conform to IS 14862 (density more than 1200 kg/m³) Everest or euivalent				
	50 mm thick	Sqft	254	254	254.00
	75 mm thick	Sqft	321	321	321.00
49	Slope, flat roof, sunken slab र basement मा पानी चुहेको स्थानमा Perma Construction Co - बाट उत्पादित निर्माण सामग्रीहरू		0	0	0.00
	<i>Mention rates are including supplying of necessary chemicals, labour and applying as per manufacturer specifications or as per consultant's direction.</i>		0	0	0.00
	Water proofing treatment by Injection and Pressure Grouting System using perma Grout 500 with mixing fresh gray cement slurry all complete. (slope roof, sunk slab, basement)	व.फि	47	47	47.00
	Water proofing treatment by Perma Guard coating (Elastomeric Polymer Coating) all complete. (roof top, sunken slab, basement, terrace)	व.फि	51	51	51.00
	Water proofing treatment by using perma Shield AR coating (Semi Flexible Polymer Coating System) all Complete (roof top, sunk slab, basement)	व.फि	50	50	50.00
	Waterproofing treatment by Crystallization Process by applying two coats of perma Seal all complete. (watertank basement)	व.फि	51.25	51.25	51.25
	Providing and applying SBR Mortar on the RCC slab minor crack with making "V" shaped groove cutting and polymer coating of 1 ft wide area from groove all complete.	र.फि	200	200	200.00
	Major crack treatment on Rcc slab by Perma Polyseal	र.फि	400	400	400.00
	Providing and applying Perma treat or Perma clear seal (colorless solvent silicon based liquid) for water repellant on bricks, tiles from fungus and algae growth (exposed surface).	व.फि	21	21	21.00
	Expansion Joint Works: - Providing and chipping and plaster with mixing Perma Bond SBR modified mortar up to 40 mm wide on levelling all complete. Providing and laying thermacol in the hole, Providing masking tape on thermacol a	र.फि	1890	1890	1890.00
	Perma Clear seal coating	व.फि	0	0	0.00
	Supplying and applying perma or Beck Brand Self leveling Epoxy coating on floor 2mm thick as per specification all complete. (for pharmaceutical and hospitals floor)	व.फि	340	340	340.00
	Functional and High builds epoxy coating on floor 400 micron (for pharmaceutical and hospitals floor)	व.फि	160	160	160.00








Decorative epoxy coating with perma plaster putty on celing and wall all complete 200 micron. (for pharmaceutical and hospitals floor)	व.फि	134	134	134.00
Epoxy Coving	र.फि			
A) Floor to wall (for pharmaceutical and hospitals floor)	र.फि	120	120	120.00
Providing and applying Dustban/Permise chemicals for Anti Termite Treatment all complete	व.फि	39	39	39.00
Providing and applying of Perma Wall Guard Coating (for colorful flexi exterior waterproof coating) all complete	व.फि	39	39	39.00
Providing and applying Water Proofing Membrane with mixing of bonding agent (Perma Bond SBR) fresh grey cement and fine sand paste for basement floor and wall , rooftop waterproofing as per specifications all complete	व.फि	122	122	122.00
Epoxy bounding agent Concessive - 1414: Two component epoxy bonding agent old to new concrete	के.जी.	1450	1450	1450.00
A) Rheobuild sp -1 :High range water reducing superplstisizer for concrete	के.जी.	110	110	110.00
C) Rheobuild sp -1100 High performance , range water reducing superplstisizer:	के.जी.	150	150	150.00
D) Glnium - sky 584:New Generation , Polycarboxylic Eather (PCE) based superplstisiser for High grade ready mix concrete using total A performance control	के.जी.	390	390	390.00
E) Glnium - stream- 2: Viscosity modifying agent for producing self compacting , pumpable concrete	के.जी.	220	220	220.00
OPAL - KREET				
It is a single component white liquid acrylic polymer admixture for water proofing, cementitious coating in slurry form as well as cement mortar form. It is to be mixed with cement/mortar for excellent water proof coating.	sq. ft	35.4	35.4	35.40
OPAL - GUARD				
It is as polymer modified cementitious coating acrylic water proofing system for a varied number of applications in water proofing and corrosion control. This is two pack systems; which when applied after mixing, gives a flexible coating. Very effective h	sq.ft	37.2	37.2	37.20
OPAL - BOND REPAIR				
It is a polymer, based on styrene-butadiene rubber, specially formulated for use with cement formulations. Highly recommended for structural rehabilitation, concrete repair etc.	sq.ft	43.2	43.2	43.20
OPAL - SEAL				
An excellent admixture for water proofing sunken portions in buildings such as bath rooms, terraces etc.	sq.ft	35	35	35.00
OPAL - FEX				
A very effective water proof polymer based coating for heavy duty jobs. Two coats are recommended with a fiber mesh layer in between, to enhance strength and bond.	sq.ft.	36.6	36.6	36.60
WAPCOT				
A silicone based water repellant. It is to be sprayed on dry walls to check seepage, fungus growth, salt-peter actions etc. Remains effective over the years.	sq.ft	13	13	13.00
OPAL - GROUT				
An excellent grouting material for injection grouting under pressure through nozzles using a 30 psi pump. Very effective in concrete /masonry works.	sq.ft	35	35	35.00



	OPAL – PROOF:	2003			
	It is a concrete/mortar admixture in liquid form that acts as a highly efficient plasticizer and water proofing compound. It conforms to IS:2645:1975	ltr.	300	300	300.00
	OPAL – XCEL				
	It is an organic based polymer in liquid form which acts as a plasticizer cum accelerator for concrete/mortar. Higher strength is achieved in a shorter time. It conform IS: 9103:1979 and ASTM C494. Excellent in winter or cold climate.	ltr	250	250	250.00
	OPAL – PLASTMASTER				
	It is an additive for plaster of walls. Gives excellent workability and smooth finish. Check seepage of water/moisture.	ltr	375	375	375.00
	OPAL – SPI01				
	It is a super plasticizer for concrete. It is a high range water reducing admixture for concrete. It is based on sulphonated naphthalene formaldehyde and is used for reducing the water to cement ratio, increasing compressive strength & producing free flow	ltr	250	250	250.00
	OPAL – RETARDPLAST				
	It is modified sulphonated naphthalene formaldehyde plasticizer-cum-retarder for concrete. It is a dark brown liquid. Water reducing up to 25% can be achieved.	Sq. ft.	250	250	250.00
	OPAL – CEMCURE				
	It is water based emulsion to be applied by brush or spray on fresh concrete surface to remain water in concrete. Suitable for use where curing by water is not possible, or in hot climate.	ltr	8.6	8.6	8.60
	OPAL – AE PLAST				
	An air entraining concrete admixture used for increasing crack resistance, frost resistance etc.	ltr	400	400	400.00
	OPAL – TILEBOND LIQUID				
	A unique single component compound for fixing tiles, marbles, granite etc. on any plain surface (walls as well as floor). Highly economical and easy to use. A very thin coating is required.	ltr	375	375	375.00
	OPAL – TILE MASTER				
	Liquid additive and bonding agent for water resistant cement mortar. It is specially formulated liquid polymer additive for use with cement and sand for form mortars having high bond strength and water proofing proportions for the laying of ceramic, mosai	ltr	375	375	375.00
	OPAL – CONCOAT				
	Protective Coating for reinforced concrete. It is protective coating, which is extremely useful in increasing the life of reinforced cement concrete structures. It protects the RCC from CO ₂ , oxygen, water and other damaging elements in the air.	Sq. ft.	26	26	26.00
	OPAL JOINT SET				
	POLY - SULPHIDE SEALANT				
	It is a two pack poly sulphide base sealant with available grades. It provides strong and highly elastic sealant through cross linking process. Joint Set (G) gun applied for non – sag type for vertical and inclined expansion contraction joints and (P) pou	kg	1500	1500	1500.00
	OPAL JOINT SET PRIMER				
	It is a recommended for surface namely concrete, brick work, cement, gypsum board, natural and artificial stone, glass ceramics, anodized aluminium, timer and rigid PVC etc.	ltr	1350	1350	1350.00
	ROAD MARKING PAINTS				
	Road marking paints are versatile for marking on the metalled and concrete surface of roads, air stripe etc. They are two type water based and spirit based white and golden yellow colour.	ltr	375	375	375.00
52	Aluminium Door & Windos				


[Signature]

[Signature]

[Signature]

[Signature]

Prakash.



	Mention rates are including supplying of necessary chemicals, materials, fittings, labours as per manufacturer's specifications all complete or as per consultant's direction.				
	Providing & fixing single panel casement (hinged) Door of aluminium section in natural or color anodized/power coated color section size (101*45*1.5mm) fitted with 5 mm clear glass or 9 mm both side laminated board (Excluding cost of handle & door closer)	व.फि	689	689	0.00
	Providing & fixing double panel casement (hinged) Door of aluminium section in natural or color anodized/power coated color section size (102*45*1.5mm) fitted with 5 mm clear glass or 9 mm both side laminated board (Excluding cost of handle & door closer)	"	759	759	759.00
	Providing & fixing single panel swing Door of aluminium section in natural or color anodized/power coated color section size (102*45*1.5mm) fitted with 5 mm clear glass or 9 mm both side laminated board (Excluding cost of handle & door closer)	"	877	877	877.00
	Providing & fixing double panel swing Door of aluminium section in natural or color anodized/power coated color section size (102*45*1.5mm) fitted with 5 mm clear glass or 9 mm both side laminated board (Excluding cost of handle & door closer)	"	966	966	966.00
	Providing & fixing 2 or 3 panel sliding window of aluminium section in naturally anodized or black anodized/power coated color section size (87*56*1.2mm) fitted with 5 mm clear glass without fly mesh shutter (window size 6'X5' or average area 30 sqft per window)	"	550	550	550.00
	Providing & fixing 2 or 3 panel sliding window of aluminium section in naturally anodized or black anodized/power coated color section size (87*56*1.5mm) fitted with 5 mm clear glass without fly mesh shutter (window size 6'X5' or average area 30 sqft per window)	व.फि	634	634	634.00
	Providing & fixing 2 or 3 panel sliding window with top fix glass of aluminium section in naturally anodized or black anodized/power coated color section size (87*56*1.2mm) fitted with 5 mm clear glass without fly mesh shutter (window size 6'X5' or average area 30 sqft per window)	व.फि	599	599	599.00
	Providing & fixing 2 or 3 panel sliding window with top fix glass of aluminium section in naturally anodized or black anodized/power coated color section size (87*56*1.5mm) fitted with 5 mm clear glass without fly mesh shutter (window size 6'X5' or average area 30 sqft per window)	व.फि	690	690	690.00
	providing & fixing fixed window of aluminium section in naturally anodized or black anodized/power coated color, section size (87*25+12*1.2 mm) fitted with 5 mm clear glass with out fly mesh shutter (Average area 5 sq.ft per panel)	व.फि	456	456	456.00


[Signature]

[Signature]

[Signature]

[Signature]

Prakash.



	providing & fixing fixed window of aluminium section in naturally anodized or black anodized/power coated color, section size (87*25+12*1.5 mm) fitted with 5 mm clear glass with out fly mesh shutter (Average area 5 sq.ft per panel)	व.फि	524	524	524.00
	providing & fixing fly mesh shutter with stainless steel fly mesh in 90 series window (section thickness 1mm)	व.फि	200	200	200.00
	providing and fixing full height partition of aluminium section in naturally anodized or black anodized /power coated color section size (102*45*1.5) fitted with 5 mm clear glass or 9 mm both side laminated board (average panel area=8 sqm)	व.फि	553	553	553.00
	providing and fixing half height partition of aluminium section in naturally anodized or black anodized /power coated color section size (102*45*1.5) fitted with 5 mm clear glass or 9 mm both side laminated board (average panel area=8 sqm)	व.फि	600	600	600.00
	providing and fixing full height partition of aluminium section in naturally anodized or black anodized /power coated color section size (64*38*1.1) fitted with 5 mm clear glass or 9 mm both side laminated board (average panel area=8 sqm)	व.फि	415	415	415.00
	providing and fixing low height partition of aluminium section in naturally anodized or black anodized /power coated color section size (64*38*1.1) fitted with 5 mm clear glass or 9 mm both side laminated board (average panel area=8 sqm)	व.फि	509	509	509.00
54	Pressure Grouting	व.फि			
	i) Providing material & applying pressure grouting on Rcc roof slab.	व.फि	40	40	40.00
	ii) Do but on basement	व.फि	45	45	45.00
	iii) Providing material and applying pressure grouting on Rcc slab, basement and water tank 2 coats	व.फि	50	50	50.00
	iii) Do but sealing Rcc slab crack	व.फि	52	52	52.00
	iv) Do but Rcc column	Point	330	330	330.00
55	Eradication of peepal & other plants		0	0	0.00
	a) Stem up to 1" thickness	गोटा	375	375	375.00
	b) Stem up to 1"-2" thickness	गोटा	680	680	680.00
	c) Stem up to 2"-3" thickness	गोटा	1300	1300	1300.00
	d) Stem up to 3"-4" thickness	गोटा	2480	2480	2480.00
56	Miscellaneous Item				
	Water proof of terrace & roof garden				
	Supplying and laying of 2 pack polymer modified cementious water proofing coatings (Acrocote) all complete.	व.मी.	735	735	735.00
	Pabbles cladding work	व.मी.	460	460	460.00
	Eco-UPVC Roofing Sheet including the cost of material and labour fitting, fixing, all complete job				
	3mm	Sqft	108	108	108.00
	2mm	Sqft	70	70	70.00

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature: Prakash]



13 ktn	38 mm thick Chemically treated, machine made water proof Borer Free solidcore Ready made Door flush shutter				
	38 mm th. solid flush door (Both side teak) water proof	व.फि	350	350	350.00
	38 mm th. solid flush door (One side teak) water proof	"	301	301	301.00
20	Ready made Teak wood Doors (Seasoned and Poisoned treated) (excluding the cost of fitting, transportation, Painting)				
	Readymade door shutter Recon, ordinary (1 side teak)	Sqft	0	187	187.00
	Readymade door shutter Recon, Special (1 side teak)	Sqft	0	255	255.00
	If Oneside water proof ply fitting				
	Readymade door shutter Recon, ordinary (1 side teak)	Sqft	0	214	214.00
	Readymade door shutter Recon, Special (1 side teak)	Sqft	0	288	288.00
	viii) Automatic motor operator for water mo pump (पानी भरिएपछि स्वचालित रुपमा on/off हुने प्रणाली)				
	Up to 1/2 H.P.	गोटा	4000	4000	4000.00
	1.0 H.P.	गोटा	5500	5500	5500.00
	5 H.P.	गोटा	9000	9000	9000.00
63	Equipment Hired Rate Based on DoR तेल बाहेक				
	a) Asphalt Plant* (Upto 10 ton)	Per hr.	400.00	400.00	400.00
	b) Asphalt Plant* (40 ton/ hour)	"	500.00	500.00	500.00
	c) Asphalt Paver	"	1400.00	1400.00	1400.00
	d) Asphalt, Mixer (Bel mix)	"	1000.00	1000.00	1000.00
	e) Broom Road, Towed	"	260.00	260.00	260.00
	f) Boring Rig	"	1200.00	1200.00	1200.00
	g) Air compressor 150 to 275 CPM	"	250.00	250.00	250.00
	h) Crane Mobile 5 to 10 ton	"	3100.00	3100.00	3100.00
	i) Crane Mobile (10+ to 15 ton)	"	3500.00	3500.00	3500.00
	k) Cutter Concrete	"	250.00	250.00	250.00
	l) Dozer Wheel (181+ to 230 HP)	hr	2100.00	2100.00	2100.00
	m) Dozer, Track (126+ to 180 HP)	"	1800.00	1800.00	1800.00
	n) Dozer, Track (180+ to 240 H)	"	2000.00	2000.00	2000.00
	o) Bitumin Distributer (4 to 6 KL)	"	1300.00	1300.00	1300.00
	r) Mini Dumper (Upto 1CUM)	"	500.00	500.00	500.00
	s) Mini Dumper (1 CUM+)	"	550.00	550.00	550.00
	t) Excavator, Wheel (Upto 110 HP)	"	0.00	0.00	0.00
	u) Excavator, Track (Upto 110 HP)	HR	1200.00	1200.00	1200.00
	u) Excavator, Track (110 HP-150 HP)	"	1800.00	1800.00	1800.00
	Excavator+ Breaker (110HP-150 HP)	"	2100.00	2100.00	2100.00
	v) Fork Lift Truck (Upto 2.5 ton)	"	400.00	400.00	400.00
	w) Generator* (Upto 10 KVA)	"	150.00	150.00	150.00
	x) Generator* (10+ to 30 KVA)	"	150.00	150.00	150.00
	aa) Grador motor (80 to 145 HP)	"	1600.00	1600.00	1600.00
	cc) Chips spreader tail gate mounted	"	300.00	300.00	300.00
	dd) Bitumin heater (Upto 2 KL)	"	180.00	180.00	180.00
	ee) Loader, Wheel (1 to 1.75 CUM)	"	1000.00	1000.00	1000.00
	ff) Loader, Wheel (1.75+ to 2.5 C)	"	1500.00	1500.00	1500.00
	gg) Back Hoe Loader (<90 HP)	"	1000.00	1000.00	1000.00
	gg) Back Hoe Loader (>90 HP)	"	1050.00	1050.00	1050.00
	hh) Mixer Concrete	"	1000.00	1000.00	1000.00
	ii) Maintainer (Upto 75 HP)	"	0.00	0.00	0.00

[Signature]

[Signature]

[Signature]

[Signature]

Prakash.



ij) Water Pump (Upto 4" DIA)	"	150.00	150.00	150.00
kk) Pile Driver*	"	3000.00	3000.00	3000.00
ll) Roller 3, Wheel (Upto 12 ton)	"	500.00	500.00	500.00
mm) Roller, Pneumatic (Upto 20 ton)	"	1200.00	1200.00	1200.00
nn) Roller, Vib Pedestrian (Upto 0.5 ton)	"	400.00	400.00	400.00
oo) Roller, Vib Sheep Foot (Upto 10 ton)	"	700.00	700.00	700.00
pp) Roller, Vib, Self Prop (Upto 3 ton)	"	550.00	550.00	550.00
qq) Roller, Vib, Self Prop (3 ton+)	"	800.00	800.00	800.00
rr) Roller, Vib, towed (Upto 7 ton)	"	800.00	800.00	800.00
ss) Spreader chips, Self propelled	"	1500.00	1500.00	1500.00
tt) Sprayer, Emulsion (Upto 1 KL)	"	260.00	260.00	260.00
uu) Truck, Flat Bed/ Crane (Upto 7 ton)	"	800.00	800.00	800.00
vv) Truck, Flat Bed (Upto 150 HP)	"	450.00	450.00	450.00
ww) Truck, Tipper (Upto 150 HP)	"	450.00	450.00	450.00
xx) Truck Tipper (From 150 HP+)	"	1100.00	1100.00	1100.00
zz) Trailer, Tractor (10+ to 25 ton)	"	2200.00	2200.00	2200.00
aaa) Trailer, Tractor (25 ton+)	"	2700.00	2700.00	2700.00
bbb) Water Tanker (Upto 16 KL)	"	550.00	550.00	550.00
ccc) Trailer	"	140.00	140.00	140.00
ddd) Tractor (Upto 85 HP)	"	300.00	300.00	300.00
Tractor with trailer	"	440.00	440.00	440.00
eee) Vibrator (Engine)	"	120.00	120.00	120.00
fff) Compactor, Hand Towed (Upto 200 Kg)	"	80.00	80.00	80.00
ggg) Compactor, Hand Towed (350 to 450 Kg)	"	130.00	130.00	130.00
hhh) Welking, Arc (10 to 30 KVA)	"	1150.00	1150.00	1150.00
Petroleum item		0.00	0.00	0.00
Petrol	lit	165.50	153.71	143.09
Diesel	lit	147.50	143.09	132.47
64 Road furniture/goods/other materials from DoR		0.00	0.00	0.00
i) Retro-reflective traffic sign	Sqm	0.00	0.00	0.00
ii) Painted traffic sign	"	0.00	0.00	0.00
iii) Normal cats eye	no.	0.00	0.00	0.00
iv) Solar power road stud	"	0.00	0.00	0.00
v) Traffic signal (Circular or Arrow)	"	0.00	0.00	0.00
vi) Traffic signal control unit	"	0.00	0.00	0.00
vii) Thermoplastic road paint	Kg.	599.00	599.00	599.00
viii) Glass bead	Kg.	0.00	0.00	0.00
ix) Geo-textile 120g	Sqm	74.88	74.88	71.88
ix) Geo-textile 150g	Sqm	82.88	82.88	79.88
Precast Hume Pipe-dia				
NP2				
150MM	RM	600.00	600.00	574.00
200MM	RM	800.00	800.00	767.00
R.C.C Spigot Hume pipe (socket system)				
NP3				
300MM	RM	3286.43	3558.43	3558.43
450MM	RM	4767.47	5130.47	5130.47
600MM	RM	6530.14	7058.14	7058.14
700mm	RM	9012.00	8532.00	8532.00
900mm	RM	12743.86	13765.86	13765.86
1000 mm	RM			
1200mm	RM	17230.57	18576.57	18576.57
1400mm	RM	26768.00	29610.00	29610.00



RCC ring, 20 cm height, 5 cm thick				
28" dia	गोटा	632.00	595.00	604.00
36" dia	"	797.00	750.00	762.00
42" dia	"	918.00	860.00	873.00
48" dia	"	1210.00	1140.00	1158.00
HDPE pipe (different size, series and pressure) NS-40	kg	299.88	299.88	304.88
230 G, 230mm X 4-5 mm (9") water stopper	mtr	620.00	620.00	620.00
GI threaded				
light class				
15mm	mtr	217.50	217.50	220.83
20mm	mtr	297.02	297.02	301.19
25mm	mtr	408.29	408.29	414.62
32mm	mtr	522.93	522.93	531.10
40mm	mtr	644.45	644.45	654.78
50mm	mtr	815.19	815.19	827.52
65mm	mtr	1122.43	1122.43	1139.93
80mm	mtr	1316.55	1316.55	1336.72
100mm	mtr	1883.47	1883.47	1912.47
125mm	mtr	3122.72	3122.72	9.39
Medium class				
15mm	mtr	250.98	250.98	254.98
20mm	mtr	321.34	321.34	326.34
25mm	mtr	480.37	480.37	488.04
32mm	mtr	622.68	622.68	632.68
40mm	mtr	715.57	715.57	727.07
50mm	mtr	975.99	975.99	991.32
65mm	mtr	1246.40	1246.40	1265.57
80mm	mtr	1564.66	1564.66	1589.16
100mm	mtr	2321.44	2321.44	2357.61
125mm	mtr	3126.16	3126.16	3174.83
150mm	mtr	3840.43	3840.43	3899.60
200mm	mtr	5830.13	5830.13	5920.63
Heavy duty				
15mm	mtr	297.10	297.10	301.27
20mm	mtr	374.16	374.16	379.66
25mm	mtr	559.14	559.14	567.47
32mm	mtr	714.83	714.83	726.16
40mm	mtr	824.57	824.57	727.74
50mm	mtr	1201.28	1201.28	1219.45
65mm	mtr	1503.55	1503.55	1526.88
80mm	mtr	1770.35	1770.35	1797.68
100mm	mtr	2744.89	2744.89	2787.39
125mm	mtr	3553.16	3553.16	3607.99
150mm	mtr	4031.22	4031.22	4093.89
200mm	mtr	6180.66	6180.66	6276.99
PPR pipe				
PP-R (PN-10)				
20 mm outer, 1.9 mm thick, 0.107 kg/m	rm	63.00	56.00	60.00
25 mm outer, 2.3 mm thick, 0.164 kg/m	rm	95.00	86.00	92.00
32 mm outer, 2.9 mm thick, 0.26 kg/m	rm	152.00	137.00	147.00
40 mm, 3.7 mm thick, 0.412 kg/m	rm	239.00	217.00	232.00
50 mm, 4.6 mm thick, 0.638 kg/m	rm	372.00	336.00	360.00

Handwritten signature

Handwritten signature

Handwritten signature

Handwritten signature

Prakash



63mm, 8.6 mm thick, 0.638 kg/m	rm	588.00	533.00	570.00
75mm	rm	820.00	743.00	795.00
90mm	rm	1181.00	1070.00	1145.00
110mm	rm	1751.00	1588.00	1699.00
PP-R (PN-16)				
20 mm OD-2.8 mm thick 0.148kg/m	rm	84.00	75.00	80.00
25mm OD 3.5 „ thick 0.26kg/m	rm	131.00	118.00	126.00
32mm OD 3.7mm thick 0.230kg/m	rm	209.00	188.00	201.00
40mm OD 5.5 mm thick 0.575kg/m	rm	335.00	303.00	324.00
50mm OD 6.9 mm thick 0.896 kg/m	rm	521.00	473.00	506.00
63mm OD 4.6 mm thick 0.638kg/m	rm	820.00	1061.00	795.00
75mm OD	rm	1169.00	1061.00	1135.00
90mm OD	rm	1670.00	1514.00	1620.00
110mm OD	rm	2501.00	2269.00	2428.00
PN-20				
20 mm 3.4mm thick 0.172kg/m	rm	100.00	90.00	96.00
25mm 4.2mm thick 0.266kg/m	rm	155.00	140.00	150.00
32mm 5.4mm thick 0.434kg/m	rm	252.00	228.00	244.00
40mm 6.7mm thick 0.671kg/m	rm	390.00	354.00	379.00
50mm 8.3mm thick 1.04kg/m	rm	605.00	549.00	587.00
63mm 8.6mm thick 1.04 kg/m	rm	960.00	870.00	931.00
75mm OD	rm	1361.00	1234.00	1320.00
90mm OD	rm	1955.00	1772.00	1896.00
110mm OD	rm	2915.00	2643.00	2828.00
ROOFTOP PVC WATER TANK				
i) 200 lit - 5000 lti capacity	LTR	11.28	11.28	10.25
ii) 5000 lit - 10,000 lit capacity	LTR	11.28	11.28	11.28
iii) Horizontal PVC water tank	LTR	11.28	11.28	12.30
stainless steel water tank (304 grade steel)with all complete set				
500 lit	गोटा	12124.00	12124.00	13114.00
1000 lit	गोटा	17699.00	17699.00	19323.00
1500 lit	गोटा	27212.00	27212.00	29681.00
2000 lit	गोटा	32743.00	32743.00	35890.00
3000 lit	गोटा	53323.00	0.00	53323.00
4000 lit	गोटा	71100.00	0.00	71100.00
5000 lit	गोटा	93431.00	0.00	93431.00
580mm white glazed porcelain Orisa Pan	सेट	3371.00	3371.00	3371.00
580 mm size white glazed Indian Pan	सेट	1049.00	1049.00	1049.00
syphone "P" or "S" type	सेट	590.00	590.00	590.00
Procelain wash basin(500x400cm) size (simple)	set	1095.00	1070.00	1070.00
Commode				
white galzed percelain clay EWC constelation commode with 'P' & 'S' trap and seat cover set	set	1587.00	18119.00	18119.00
white glazed porcelain clay one piece commode with P & S trap and slow falling seat cover complete set	set	5252.00	0.00	20389.00
white galzed percelain clay Regular EWC commode with 'P' / 'S' trap	set	1825.00	1825.00	1825.00
New Item				
घांस ,दुबो	sqm	12.50	12.50	12.50
carved stone	cum			
42.1.2 superplasticizer (Coreplast SP2 for M25-30)	kg	125.00	125.00	125.00
silica cement admixer	kg	300	300	300.00

Prakash



पानी चुहेको स्थानमा water proofing गर्न OPAL - बाट उत्पादित निर्माण सामग्रीहरू, White liquid acrylic polymer admixer for water proofing cementious coating in slurry form as well as cement mortar form, it is to be mixed with cement of mortar for excellent water proofing coating	Sq ft	40	41	41.00
3mm thick UPVC Roofing sheet (Double mesh tile or reg	sqm	1506	1525	1525.00
Ridge cover regular profile 1.10RM	r.m	1925	2021	1605.00
Ridge cover tile profile 1.05RM	r.m	1925	2021	1605.00
Submerssible water pump for pumping water (Italian)	nos			
1hp	nos	27393.45	28488.6	28488.60
2 hp	nos	50816.85	52848.6	52848.60
2.5 hp	nos	68250	68250	68250.00
3 hp	nos	84000	84000	84000.00
5 hp	nos	95000	95000	95000.00
Vertical Submersible pump				
1.1 H.P	nos	25607.4	29750.7	29750.70
1.5 H.P	nos	31228.05	35961.45	35961.45
Non-Submerssible water pump for pumping water				
1/2 H.P Water pump (multi stage pump)	Set			11320.00
1/2 H.P Water pump (Mono Block type)	Set			6570.00
1.0 H.P Water pump (multi stage pump)	Set			14828.00
2 hp	nos	23716.35	24664.5	24664.50
2 hp 3 phase water pump	nos	25039.35	26040	26040.00
5 hp 3 phase water pump	nos	30088.8	31292.1	31292.10
Brass Tap-1/2"				
400 gm heavy	pcs	830.50	750.00	750.00
ordinary	pcs	188.10	205.00	205.00
छाना छर्उने स्लेट ढुङगा, ०.७५ inch thick	sqft	65	61	62.00
cost of water	lit	0.61	0.57	0.58
600mmx600mm Flase Ceiling Board	sqft	199.93	95	95.00
wall putty plain	kg	38	70.6	32.00
roller (3-6 mt)	hr	800	800	800.00
lime	kg	0.00	23.47	19.00
surkhi	kg	0.00	0.00	17.30
10 mm vetrified tile(24"x24")	sqft	111	118	118.00
adhesive	kg	3000	3000	3000.00
3 mm teak plywood	sqft	48	62.5464684	62.55
4 mm teak plywood	sqft	60	81.97026022	81.97
६०*६० मि.मि. साइज क्सेमेन्ट किसिमको ५ मि.मि. डवल शिशा सहित	sqm	7493.00	7493.00	7493.00
६०*६० मि.मि. साइज स्वीग ढोका ५ मि.मि. शिशा सहित	sqm	9991.00	9991.00	9991.00
५०*८० मि.मि. स्लाइडिंग किसिमको ५ मि.मि. शिशा र एल्युमिनियम स्लाइड सहित	sqm	7215.00	7215.00	7215.00
	kg	20.00	20.00	146.00
U-Hook	kg	2.00	2.00	146.00
micro silica	kg	110	110	110.00
oxylic acid	kg	138.39	138.39	118.00
carburundum	kg	465.13	465.13	465.13
3 mm upvc pipe	sqm	1506	1506	1506.00
clip	no	26	26	26.00
फलामे गिल ३*२० मी.मी.	kg	130	130	130.00



Fibracation of Chain link mesh of Size				
12 S.W.G. G. I. Chain Link 1.5" * 1.5" को मेस	sqm	810	810	774.00
10 S.W.G. G. I. Chain Link २" * २" को मेस	sqm	642	642	613.00
10 S.W.G. G. I. Chain Link 3" * 3" को मेस	sqm	526	526	501.00
Machine				
pump for pumping water rent (Elect)	hr	0.00	0.00	0.00
roller (3-6 mt)	hr	150	150	150.00
1 ton roller	hr	800	800	800.00
प्लेन पाता (०.५० मि.मि.) GI	sq ft	550	550	450.00
रंगीन प्लेन पाता GI	sqft	1558	1558	1558.00
६०*६० मि.मि. साइज केसमेन्ट किसिमको ५ मि.मि. डबल शिशा सहित	sqm	1788	1788	1788.00
३*२० मि.मि. फलामे ग्रिल बनाइ जड्ने		7493	7493	7493.00
rcc collar 300 mm NP3	pcs	883	783	783.00
rcc collar 450 mm NP3	pcs	1125	1125	1125.00
rcc collar 600 mm NP3	pcs	1550	1550	1550.00
rcc collar 1000 mm NP3	pcs	3382	3382	3382.00
rcc collar 1200 mm NP3	pcs	4024	4024	4024.00
rcc collar 900 mm NP3	pcs	3042	3042	3042.00
caping layer material	cum	550.8	550.8	550.80
grader motor 135 hp	hr	1200	1200	1600.00
combination vibratory roller	hr	900	900	900.00
Ms Flat	KG	100	100	161.00
concrete mixer	hr	1000	1000	1000.00
CI Manhole cover including Frame				
Round Manhole cover Medium 450 mm	no	4487	4487	4487.00
Round Manhole cover heavy 450 mm	no	8848	8848	8848.00
Round Manhole cover Medium 500 mm	no	7063	7063	7063.00
Round Manhole cover heavy 500 mm	no	10565	10565	10565.00
CI Manhole cover including Frame				
Square Manhole cover Medium 12"x12"(wt-5kg)	no	836	835	835.00
Square Manhole cover Medium 14"x14"(wt-7kg)	no	1171	1247	1247.00
Square Manhole cover Medium 16"x16"(wt-10kg)	no	1673	1671	1671.00
Square Manhole cover Medium 18"x18"(wt-14kg)	no	2509	2598	2598.00
Square Manhole cover Medium 24"x24"(wt-24kg)	no	4294	4659	4659.00
C.I tank Cover locking type round				
18" (8kg)	set	0	0	0.00
20" (12 kg)	set	1673	1934	1934.00
22" (14 kg)	set	2454	2837	2837.00
24" (16 kg)	set	2788	3222	3222.00
28" (24 kg)	set	3346	3868	3868.00
Pump Control system(metal Enclosure with MCB, Contactor,Phase Sequence protection,Overload protection and sensor set)		5019	5802	5802.00
i) Upto 1/2 hp single phase motor	set	4303	4303	4303.00
ii) 1 to 3 hp single phase motor	set	5917	5917	5917.00
iii) 3 to 5 hp single phase motor	set	9682	9682	9682.00
PVC insulator Black Copper wire				
7-22 wire	Coil(per coil 90m)	2636	2636	2636.00
3-22 wire	Coil(per coil 90m)	1183	1183	1183.00
Thermo plastic paint	lit	599	599	599.00
Hot dip galvanized Corrugated W beam sheet 3 mm thick	kg	51	51	51.00
Hot dip galvanized Channel post 150 x 75 x 5 mm,	kg	51	51	51.00

Signature

Signature

Signature

Prakash



Hot dip galvanized Spacer Channel 150 x 75 x 5 mm	kg	51	51.00
Grass Turfing	cu.m	132.48	132.48
R seal	r.m	925.3451327	925.35

New Item added 080/81

Lead Free as per ASTM D 1785 PVC PIPEs			
2" dia (19.69kg/cm2)	RM	66	517.00
3" dia (18.28kg/cm2)	Rm		912.00
4" dia (15.47 kg/cm2)	RM	99	1318.00
6" dia (12.66 kg/cm2)	RM	159	2746.00
CPVC PIPE SDR 11 (28.1 kg/cm2)-ASTM F-493 2846			
1/2"	RM	139	139.00
3/4"	RM	189	189.00
1"	RM	264	264.00
1-1/4"	RM	319	319.00
1-1/2"	RM	445	445.00
2"	RM	721	721.00
Kota Stone			
1" Thick	Sq.ft	159	159.00
3/4" Thick	Sq.ft	146	146.00
गुम्बाको गेटमा प्रयोग हुने बुटाहरुमा रगको प्रयोग			
मृग (२.५ ३ फिट)	nos	10000	10000.00
खोर्लो (४ फिट ३० इ)	nos	10000	10000.00
खिना (१२ ५ इ)	nos	235	235.00
पेमा (१२ ५ इ)	nos	235	235.00
लोक	nos	2500	2500.00
गुटखा (८ ८ इ)	nos	1600	1600.00
छेचा पेमा	nos	1500	1500.00
खिना पेमा	nos	900	900.00
भिम पट्टा	nos	9000	9000.00
ज्यू	nos	6000	6000.00
घाँटी	nos	5000	5000.00
चेपेन	nos	4000	4000.00
डुडरील	nos	4000	4000.00
पेरा	nos	4000	4000.00
टासी ताके	nos	4800	4800.00
गुम्बा भित्र प्रयोग हुने बुट्टाको रंग			
भिमको लेन्ज	nos	700	700.00
भिम पन्टा	nos	1000	1000.00
भिम चर	nos	6250	6250.00
पिलर	nos	22000	22000.00
वाल सेम्फुक	feet	650	650.00
दोर्जे डेडा	nos	650	650.00
गजुर निर्माणसँग सम्बन्धित		0	0.00
रड (सुनोली)	ltr	2650	2650.00
तामा पाता	kg	2550	1452.00
Flash Acrylic gold plus paint	lit	1971.2	1971.20
Railing installation work 2'6" to 3'0" height with 50mm Ø stainless steel handrail, 50mm Ø stainless steel vertical post at 2m spacing, three layer horizontal 25mm Ø stainless steel member with supply of materials, installation and colouring work	r.ft		1260

Handwritten signatures and initials at the bottom of the page.



	Railing installation work 2'6" to 3'0" height with 38mm Ø stainless steel handrail, 38mm Ø stainless steel vertical post at 2m spacing, three layer horizontal 25mm Ø stainless steel member with supply of materials, installation and colouring work	r. ft		1102
	Distribution Board Thermoplastic polycarbonate IP65 wire with IK0809 in accordance with IEC 60529 and EN 50298.98 made of thermoplastics Ps polyatylene Outdoor MCB Distribution Boards suitable for 1-54 MCB modules with fixed plug in terminal for PEN, confirming to IEC 60695-2-11 with 200-1000C glow with flame retardant self-extinguishing property.			
	3 Modules	nos		3986
	4 Modules	nos		5033
	6 Modules	nos		5762
	9 modules	nos		7197
	12 modules	nos		11811
	18 modules	nos		14105
	24 modules	nos		16773
	2 row 36 modules	nos		21665
	3 row 36 modules	nos		21047
	4 row 45 modules	nos		27396
	3 row 54 modules	nos		30366
38	UPVC Profile Door and window / wall partition			
I)	Single Glazing			
1	upvc Sliding Window with net (frame 50*80 mm, sash 58*36mm, White colour with 5 mm Glass)	Sqm		7431
2	UPVC Sliding window with net (frame 60*60 mm, sash 66*42mm, White colour with 5 mm Glass)	Sqm		6863
3	UPVC top hung window (frame 60*60mm, sash 60*78	Sqm		7717
4	UPVC Casement Window (frame 60*60 mm, sash 60*78mm, White colour 5 mm glass)	Sqm		7717
5	UPVC Single Door with half panel half glass (frame 60*60mm sash 60*104mm, White colour 5mm Glass)	Sqm		8460
6	UPVC Single Door with full panel (frame 60*60mm, sash 60*103mm white colour)	Sqm		8577
7	UPVC Double door (frame 60*60mm, sash 60*104mm white colour with 5 mm glas)	Sqm		9150
8	UPVC Sliding Door with net (Frame 52*88mm, sash 88*42mm white colour with 5mm glass)	Sqm		9150
9	UPVC SLiding door without net (frame 60*60mm.sash 88*42mm white colour with 5mm glass)	Sqm		8864
10	UPVC Swing Door with half glass half upvc panel (frame 60*60mm	Sqm		10290
11	UPVC 88*60mm sliding white colour window with 5mm glass pannel	Sqm		8884
12	UPVC 60*64mm white colour casement window with 5 mm glass panel	Sqm		10089
13	UPVC 110*64mm * 9mm thick board and 5 mm thick glass panel with white colour	Sqm		10663
14	UPVC 60*60mm *9mm thick white colour partition board with 5mm glass	Sqm		11038
15	UPVC 60*60mm white colour swing door with 5mm glass panel	Sqm		6928
39	Local polythene pipe (per 6m)			
a	75mm	pcs		850
b	90mm	pcs		1050
c	110mm	pcs		1450
40	इलान रोल प्लास्टिक	केजि		130

[Signature]

[Signature]

[Signature]

[Signature]

Prakash

[Signature]