

आज मिति २०८१ साउन ०५ गते यस लिसंखु पाखर गाउँपालिकाको कार्यालयमा स्थानिय सरकार संचालन ऐन, २०७४ को दफा १३(१) बमोजिम आव २०८१/८२ को यस लिसंखु पाखर गाउँपालिकाको लागी निर्माण सामग्री, मेसिन, तथा उपकरणको दररेट र श्रमिकहरुको ज्याला निर्धारण गर्न मिति २०८१ असार ३१ गते सम्पन्न गाउँ कार्यपालिकाको बैठकको निर्णयानुसार गाउँपालिकाको दररेट निर्धारण गर्न गठित समितीको अध्यक्ष एवं. यस गाउँपालिकाका प्रमुख प्रशासकीय अधिकृत श्री विनोद कार्की ज्यूको अध्यक्षता बैठक देहायका पदाधिकारीको उपस्थितीमा बैठक बसी देहाय बमोजिमका निर्णयहरु गरियो ।

उपस्थित:

१. अध्यक्ष - श्री विनोद कार्की प्रमुख प्रशासकीय अधिकृत
२. सदस्य - श्री महेश रानामगर लेखा अधिकृत
३. सदस्य - श्री दिनेश लामा ७ नं. वडा अध्यक्ष एवं. संयोजक, पूर्वाधार विकास समिती
४. सदस्य - श्री पेमा तामाङ निर्माण व्यवसायी सघ लिसंखु पाखर गापा
५. सदस्य सचिब - ईन्जिनियर श्री कपिल श्रेष्ठ पूर्वाधार विकास शाखा

आमन्त्रित:

१. सब-ईन्जिनियर श्री मनिष कपाली
२. सब-ईन्जिनियर श्री रेशम चालिसे
३. अस-ईन्जिनियर श्री सजिन कालु
४. अमिन श्री कृष्ण प्रसाद चालिसे
- ५.
- ६.

छलफल तथा निर्णयहरु:

निर्णय नं. १:

चालु आव ०८१/८२ का लागी लिसंखु पाखर गाउँपालिका क्षेत्र भित्र लागु हुने गरी श्रमिकहरुको दररेट चालु आव ०८१/८२ का लागी सिन्धुपाल्चोक जिल्लाका लागी स्विकृत भएको जिल्ला दररेट बमोजिम नै हुनेछ ।



विनोद कार्की
प्रमुख प्रशासकीय अधिकृत

निर्णय नं. २:

चालु आव ०८१/८२ का लागि लिसंखु पाखर गाउँपालिका क्षेत्र भित्र लागु हुने गरी ढुवानीको दररेट चालु आव ०८१/८२ का लागि सिन्धुपाल्चोक जिल्लाका लागि स्विकृत भएको जिल्ला दररेट बमोजिम नै हुनेछ । जस अनुसार वडागत रुपमा ट्रक/मिनिट्रकबाट ढुवानी हुने सामग्रीहरूको भाडाको विश्लेषण देहाय अनुसार पाइयो ।

Transporation cost of material								
Ward No	reference point	Metallic Road			Non-Metallic Road			Total transportation cost (per kg)
		Distance	Rate per kg	cost per kg	Distance	Rate per kg	cost per kg	
1	Kathmandu-gapa	99	0.032	3.168	8	0.052	0.416	3.58
	Pachakhal-gapa	56	0.032	1.792	8	0.052	0.416	2.21
	Khadichaur-gapa	21	0.032	0.672	8	0.052	0.416	1.09
2	Kathmandu-gapa	99	0.032	3.168	14	0.052	0.728	3.90
	Pachakhal-gapa	56	0.032	1.792	14	0.052	0.728	2.52
	Khadichaur-gapa	21	0.032	0.672	14	0.052	0.728	1.40
3	Kathmandu-12 kilo(thokarpa)	98	0.032	3.136	8	0.052	0.416	3.55
	Pachakhal-12 kilo(thokarpa)	36	0.032	1.152	8	0.052	0.416	1.57
	sukute-12 kilo(thokarpa)	12	0.032	0.384	8	0.052	0.416	0.80
4	Kathmandu-gapa	99	0.032	3.168	4	0.052	0.208	3.38
	Pachakhal-gapa	56	0.032	1.792	4	0.052	0.208	2.00
	Khadichaur-gapa	21	0.032	0.672	4	0.052	0.208	0.88
5	Kathmandu-ward office	98	0.032	3.136	0	0.052	0	3.14
	Pachakhal-ward office	55	0.032	1.76	0	0.052	0	1.76
	Khadichaur-ward office	20	0.032	0.64	0	0.052	0	0.64
6	Kathmandu-ward office	97.5	0.032	3.12	0	0.052	0	3.12
	Pachakhal-ward office	54.5	0.032	1.744	0	0.052	0	1.74
	Khadichaur-ward office	19.5	0.032	0.624	0	0.052	0	0.62
7	Kathmandu-ward office	94	0.032	3.008	0	0.052	0	3.01
	Pachakhal-ward office	51	0.032	1.632	0	0.052	0	1.63
	Khadichaur-ward office	16	0.032	0.512	0	0.052	0	0.51

निर्णय नं. ३ :

चालु आव ०८१/८२ का लागि लिसंखु पाखर गाउँपालिका क्षेत्र भित्र लागु हुने गरी निर्माण सामग्रीहरूको दररेट चालु आव ०८१/८२ का लागि सिन्धुपाल्चोक जिल्लाको दररेटमा उल्लेख भएका निर्माण सामग्रीहरू स्विकृत जिल्ला दररेटलाई आधार मानि र सोमा नभएका निर्माण सामग्रीहरूको हकमा छिमेकी जिल्ला काभ्रे र काठमाडौं जिल्लाका लागि स्विकृत भएको जिल्ला दररेटमा ढुवानी भाडा थप गरि दररेट निर्धारण गरिने निर्णय गरियो ।

निर्णय नं. ४:

यस दररेट विवरणमा उल्लेख नभएका निर्माण सामग्रीहरूको हककम चालु आव ०८१/८२ का लागि सिन्धुपाल्चोक जिल्लाको दररेटमा उल्लेख भएका सामग्रीहरूको स्विकृत जिल्ला दररेट आधार मानी र सोमा उल्लेख निर्माण सामग्रीहरूको हकमा छिमेकी जिल्ला काभ्रे र काठमाडौं जिल्लाका लागि स्विकृत भएको जिल्ला दररेटमा ढुवानी भाडा थप गरि दररेट निर्धारण गरिने निर्णय गरियो ।

निर्णय नं. ५ :

चालु आव ०८१/८२ का लागि यस गाउँपालिका, सिन्धुपाल्चोक जिल्ला तथा अन्य जिल्लाको दररेटमा उल्लेख नभएका निर्माणसँग सम्बन्धित अन्य आवश्यक सामग्रीहरूको हकमा सम्बन्धित कार्यालयबाटै, नेपाल सरकारको



(Handwritten signatures)

विनोद कार्की
प्रमुख प्रशासकीय अधिकृत

(Handwritten signatures)

सामित्वमा रहेको संघ, सस्थाबाट दर उपलब्ध गर्ने, ति निकायबाट दररेट उपलब्ध हुन नसक्ने अवस्थामा निर्माण सामग्रीहरूको उत्पादक वा आधिकारिक विक्रेताबाट दरभाउपत्र प्राप्त गरी कार्यान्वय गराउँन सक्ने निर्णय गरियो।

निर्णय नं. ६:

पुरातात्विक महत्वका विभिन्न निर्माण कार्यहरूमा विशेष प्रकारको दक्षता र शिप भएका श्रमिकहरूको प्रयोग हुने भएकाले ति श्रमिकहरूको दैनिक ज्याला दररेट पुरातत्व विभागबाट स्विकृत गरिएको दररेटलाई नै कायम गर्ने निर्णय गरियो। साथै, बौद्ध स्मृतिसँग सम्बन्धित विशेष प्रकारको कार्य गर्नुपरेमा बौद्ध दर्शन प्रबर्द्धन तथा गुम्बा विकास समितीबाट स्विकृत गरिएको दररेटलाई नै कायम गर्ने निर्णय गरियो।

निर्णय नं. ७ :

मेसिन, औजार तथा उपकरणको भाडा दर सम्बन्धी: मेसिन प्रयोग गरर सडक निर्माण गर्दा वा अन्य कार्य गर्नु पर्दा डोजर, एक्साभेटर, रोलर, ग्रेडर आदिको दर सडक विभागबाट कायम गराएको प्रतिघण्टाको भाडा दर अनुसार नै हुने निर्णय गरियो। (website of Heavy Equipment Division - (www.dor.gov.np))

निर्णय नं. ८ :

उल्लेखित दररेट गाउँपालिका केन्द्र (वडा नं ४) लाई आधार मानि विश्लेषण भएको हुँदा गाउँपालिका अन्य वडाहरूको हकमा नियमानुसार ढुवानी भाडा थप गरी दररेट कायम गर्ने निर्णय गरियो।

निर्णय नं. ९:

गाउँपालिका कार्यालयले निर्माण कार्य गराउँदा स्विकृत Rate analysis भन्दा फरक प्रकृतीको निर्माण कार्य गराउँनु परेमा नेपाल सरकारको सम्बन्धित विभाग, महाशाखा तथा शाखाद्वारा स्विकृत नम्सलाई आधार बनाउँने निर्णय गरियो।

निर्माण नं. १०:

पेट्रोलियम पदार्थ र लुब्रिकेन्टस् प्रोडक्ट सम्बन्धमा नेपाल आयल निगमले तोके अनुसार दररेट कायम गर्ने निर्णय गरियो।

निर्णय नं. ११:

झोलुगे पुल/ट्रस पुलमा प्रयोग हुने फलामे सामग्रीहरूको फेब्रिकेशन तथा ग्याल्भनाईजेसन सम्बन्धमा आवश्यक पर्ने ज्यामी, कच्चा पदार्थहरूको दररेट नेपाल सरकारको केन्द्रिय निकाय(स्थानिय पूर्वाधार विभाग आदी) ले निर्धारण गरेको दररेटलाई नै कायम गर्ने निर्णय गरियो।



विनोद कार्की
प्रमुख प्रशासकीय अधिकृत

निर्णय नं. १२:

गाउँपालिका कार्यालयले चालु आव २०८१/८२ का लागि परामर्श सेवा दिने व्यक्ति वा विज्ञ समुहको मासिक पारिश्रमिक (Remuneration) (भ्याट बाहेक) देहाय अनुसार निर्धारण गरिएको छ । (नेपाल सरकारबाट स्विकृत तलबमान १.५ ले गुणा गरी कायम गरिएको छ ।)

क) 1st class officer सरह टिम लिडर तथा अन्य विषयगत विज्ञ: रु.८५,१५०.५०/-

ख) 2nd class officer सरह टिम लिडर वा सिनियर इन्जिनियर वा अन्य विषयगत विज्ञ: रु.७३,१०५.५०/-

ग) 3rd class officer सरह आर्किटेक्ट, इन्जिनियर वा अन्य विषयगत विज्ञ: रु.६५,५३३.५०/-

घ) Surveyor, Cad Operator, Sub-Engineer, Office Manager वा सो सरह: रु. ५२,०९५/-

साथै, ५ वर्षभन्दा बढी कार्य अनुभव आवश्यक पर्ने अवस्थामा corresponding professional staff को तलबमानमा १०% थप गरिने ।



[Handwritten signature]

विनोद कार्की
प्रमुख प्रशासकीय अधिकृत

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

चालु आव २०८१/८२ का लागी लिसंखु पाखर गाउँपालिकाका लागी स्विकृत दररेट

सि.नं.	विवरण	ईकाई	स्विकृत दररेट (भ्याट बाहेक)	
			आव ८०/८१	आव ८१/८२
	ज्यामी	प्रति व्यक्ति प्रति दिन	850.00	895.00
	शिपान	प्रति व्यक्ति प्रति दिन	1190.00	1,250.00
	प्लम्बर, इलेक्ट्रिसियन	प्रति व्यक्ति प्रति दिन	1190.00	1,250.00
	दक्ष मुर्तिकार	प्रति व्यक्ति प्रति दिन	2000.00	2,000.00
	सहायक मुर्तिकार / कासिगढ	प्रति व्यक्ति प्रति दिन	1500.00	1,500.00
	पाले चौकिदार	प्रति व्यक्ति प्रति दिन	790.00	830.00
	Heavy equipment operator	प्रति व्यक्ति प्रति दिन	1018.00	1,038.00
	Survey helper, Line man, Camp helper, tape men cl	प्रति व्यक्ति प्रति दिन	829.00	845.00
	साधारण मेसिन अपरेटर	प्रति व्यक्ति प्रति दिन	1008.00	1,008.00
	भरिया (४० केंज ४ कोष बोकेर लैजाने)	प्रति व्यक्ति प्रति दिन	850.00	856.00
	ज्यामी सामान लोड अनलोड गर्ने	१०० किलो	27.00	27.00
	प्लेक्सको सुचना पाटी (3'x4')	Nos		650.00
	टिनको सुचना पाटी(2'x3')	Nos		2,500.00
	टिनको सुचना पाटी(3'x4') साईटमा लगेर सिमेन्ट बालुवाको मसला प्रयोग गरी ठड्याउने कार्य सहित	Nos		5,000.00
1	विभिन्न किसिमको ईटा (Brick) धुवानी सहित			
	मेशिनबाट उत्पादित ईटा	गोटा	25.41	30.11
	चिम्नी भट्टाको इट्टा (NS-01-2035) (क श्रेणी)	गोटा	21.18	20.00
	चिम्नी भट्टाको इट्टा (NS-01-2035) (ख श्रेणी)	गोटा	18.76	17.72
	इट्टाको टुक्राहरु	घमि	2299.00	2171.00
	पानी पट्टी(१ इनचको साइजमा १:३ को मसला)	र.मि.	79.00	79.00
4	ढुंगाको काम (Rubble Stone)		0	
	(क) खानी ढुङ्गा (Av. Lead 0.1 km. सम्मको)	घमि	1058.63	988.05
	(ख) स्थानीय ढुङ्गा (Av. Lead 0.1 km. भन्दा धेरै)	घमि	1023.34	952.76
5	छाप्टे ढुंगा (Flag Stone)		0	
	२५ मिमि छिना कटिड	वमि	753.09	710.05
	३७.५ मिमि छिना कटिड	वमि	806.88	753.09
	५० मिमि छिना कटिड	वमि	860.67	806.88
	२५ मिमि मेशिनबाट कटिड	वमि	968.26	914.46
	३७.५ मिमि मेशिनबाट कटिड	वमि	1022.05	957.50
	५० मिमि मेशिनबाट कटिड	वमि	1129.63	1065.08
6	कसरबाट उत्पादित रोडागिट्टी (aggregate) धुवानी सहित			
	(क) ४.७५-१० मी. मी. साइजका	घ.मि.	2502.09	2431.51
	(ख) १०-२० मी. मी. साइजका	घ.मि.	2502.09	2502.09
	(ग) २०-४० मी. मी. साइजको	घ.मि.	2502.09	2502.09
	(घ) ४०-६३ मी. मी. साइजको	घ.मि.	2466.80	2431.51
	कसर मेशिनको ढुंगाको धुलो (Stone dust)	घ.मि.	2255.08	2219.79



विनोद कार्की
प्रमुख प्रशासकीय अधिकृत

	कसर मेसिनको ६ मिमि साइजको चिप्स (Chips)	घ.मि.	2466.80	2431.51
7	स्थानीय खोलाको ग्राभेल (Gravel)	घ.मि.	2290.36	2255.08
8	स्थानीय खानीको ग्राभेल	घ.मि.	2290.36	2255.08
9	खोलाले छानेको प्राकृतिक सिंगल गिट्टी (४० मि.मि भन्दा सानो साइजको) (Natural Aggregate)	घ.मि.	2783.16	2747.88
7	Crusher run Sub-Base material (63mm down)/Gravel	घ.मि.	2431.51	2396.23
	Crusher run Base material (40 mm down)	घ.मि.	2538.26	2538.26
9	फिल्टर सामग्री		0	0.00
	४०% गिट्टी ६०% बालुवा मिश्रणको फिल्टर प्रयोजन	घ.फि.	0	0.00
11	विभिन्न प्रकारको बालुवा (Sand)		0	0.00
	क) बालुवा	घमि	2678.35	2643.06
	ड) भवनको भूँई कोठामा पुर्न, सोलिङको Void filling गर्न प्रयोग गरिने बालुवा	"	917.48	1129.20
12	सडक कालो पत्रे गर्ने कामको लागी		0.00	0.00
	i) ८०/१०० ग्रेडको विटुमीन	के.जी	117.00	109.00
	ii) सडक कालोपत्रे गर्दा विटुमीन नउपकीनको लागी प्रयोग गर्ने सामान Anti stripping	"	360.00	510.00
	iii) कालोपत्रेमा विटुमीन कम प्रयोग गर्नको लागी राखिने Rubber Asphalt Modifier	"	0.00	0.00
	iv) Packed bitumen emulsion को काम		0.00	0.00
	छिटो जम्ने (RS60%)	के.जी	102.00	102.00
	मध्यम जम्ने (MS 65%)	के.जी	108.00	108.00
	ढीलो जम्ने (SS60%)	"	104.00	104.00
	v) कालोपत्रे सडक Pot hole टाल्नको लागी प्रयोग गरिने Pre-coated Aggregate सामग्री	के.जि.	34.00	34.00
	ड) कालोपत्रे सडकमा रेखांकन गर्न प्रयोग गरिने Therom Plastic Road marking सामग्री		0.00	0.00
	i) B.S. Grade	के.जि	194.00	194.00
	ii) Most Grade	"	215.00	215.00
	iii) Glass beads	"	176.00	176.00
13	विभिन्न कम्पनीबाट उत्पादित सिमेन्टहरु		0	0.00
	OPC cement	ब्याग	764.00	724.00
	PPC cement	"	664.00	629.00
	सेतो सिमेन्ट 40 kg per bag	"	1310.00	1180.00
	सिमेन्ट लोड र अनलोड	"	13.00	12.00

सिन्धुपाछर गाउँपालिका
गाउँ कार्यपालिकाको कार्यालय
बनारपुर, सिन्धुपाछर
बागमती प्रदेश, नेपाल
२०७३

विनोद कार्की
प्रमुख प्रशासकीय अधिकृत

14	फलामको डण्डीहरु :		0	0.00
	(क) विभिन्न साइजका TMT Bar		0.00	0.00
	b) 8 mm dia	के.जी	104.88	104.88
	c) 10,12,16,20mm dia	के.जी	102.88	101.88
	d) 25 mm dai	"	104.88	104.88
	d) 28,32 mm dia	के.जी	104.88	104.88
	(घ) Binding Wire (डण्डी बाँध्नेतार)	"	130.88	123.88
15	Iron Square Pipe/Black Pipe/Channel/ Angle/I-Beam/Black Sheet/MS Plate			
	i) Iron Square Pipe	के.जी	106.00	106.00
	ii) विभिन्न साइजको MS Angle	के.जी	108.00	108.00
	iii) विभिन्न साइजको Black Pipe	के.जी	106.00	106.00
	iv) विभिन्न साइजको Channel	के.जी	110.00	110.00
	v) विभिन्न साइजको I-Beam	के.जी	112.00	112.00
	vi) विभिन्न साइजको MS plate	के.जी	106.00	106.00
	vii) विभिन्न साइजको MS Square solid bar up to 16mm	के.जी	108.00	108.00
	viii) विभिन्न मोटाइको Black sheet	के.जी	108.00	108.00
21	फलामबाट निर्मित सामानहरु		0.00	0.00
	फलामे सामग्रीको फेब्रिकेसन तथा जडान कार्य	के.जी	55.00	55.00
	ब्ल्याक पाइपको तयारी ट्युबलर ट्रेस फिटिड र फिक्सिड सहित	"	236.00	236.00
	MS angle को तयारी ट्रेस	"	155.00	155.00
	MS grill बनाई खाक्सी लगाई रेड अक्साइड पेन्ट सहित जडान गर्ने काम	"	174.00	174.00
	फलामे कोल्याप्सिबल गेट पेन्टीड र जडान कार्य	व.मि	6569.00	6569.00
	१६-१८ गेजको फलामे रोलिड सटर बनाई जडान गर्ने	"	4676.00	4676.00
	१६ गेजको पाताबाट कम्पाउण्ड बालको गेट बनाई जडान गर्ने (50x50x5 को फ्रेम समेत)	"	8404.00	8707.00
	3"-4" व्यासको Iron black pipe मा एगल र पट्टी राखी खुड्कीना सहितको घुम्ने भयाड (Spiral staircase) तयार गरि जडान समेत (Measurement = Floor to height)	र.मि.	3793.00	3793.00
16	G.I. Wire		0.00	0.00
	i) a) 8 gauge light class	के.जी	118.00	118.00
	b) 8 gauge medium class	"	125.00	125.00
	c) 8 gauge heavy duty	"	131.00	131.00
	ii) a) 10 gauge light class	के.जी	118.00	118.00
	b) 10 gauge medium class	"	125.00	125.00
	c) 10 gauge heavy duty	"	131.00	131.00
	iii) a) 12 gauge light class	के.जी	120.00	120.00

लिनखु पाखर गाउँपालिका
गाउँ कार्यपालिकाको कार्यालय
बैतुरपुर, सिन्धुपाल्चोक
बागमती प्रदेश, नेपाल

विनोद कार्की
प्रशासकीय अधिकृत

	b) 12 gauge medium class	"	126.00	126.00
	c) 12 gauge heavy duty	"	131.00	131.00
	Machine Made Gabion Box			
	Mechinically selvedged double twist mesh size को हेमि कोटेड तयारी ग्याबिन बक्स mesh size 100*120, mesh wire 3.00 mm, selvedge wire 3.9mm and lacing wire 2.4 mm	बमि	291.90	257.25
17	Barbed Wire (काँढितार)			
	a) 12 guage commercial ,Medium duty	के.जी	120.00	120.00
	b) U Hook for bar bed Wire Fencing	गोटा	1.05	1.05
18	सादा तथा रंगिन जस्ता पाता (Plain/Corrugated Galvanized/Colour Iron Sheet)			
	(क) सेतो सादा जस्तापाता (plain CGI Sheet)			
	a) 28 गेज Light (0.26 mm)	व.मि.	398.92	398.92
	b) 28 गेज Medium (0.28 mm)	"	425.11	425.11
	c) 28 गेज Heavy (.30 mm)	"	464.69	464.69
	a) 26 गेज Light (0.35 mm)	"	514.81	514.81
	b) 26 गेज Medium (0.38 mm)	"	540.43	540.43
	c) 26 गेज Heavy (0.41 mm)	"	591.97	591.97
	a) 24 गेज Light (0.45 mm)	"	642.37	642.37
	b) 24 गेज Medium (0.50 mm)	"	706.44	706.44
	c) 24 गेज Heavy (0.52 mm)	"	731.21	731.21
	(ख) रंगिन जस्तापाता			
	a) 28 गेज Light (0.26 mm)	व.मि.	486.33	486.33
	b) 28 गेज Medium (0.28 mm)	"	514.52	514.52
	c) 28 गेज Heavy (0.31 mm)	"	553.25	553.25
	a) 26 गेज Light (0.35 mm)	"	611.33	611.33
	b) 26 गेज Medium (0.38 mm)	"	641.23	641.23
	c) 26 गेज Heavy (0.41 mm)	"	694.76	694.76
	a) 24 गेज Light (0.45 mm)	"	745.44	745.44
	b) 24 गेज Medium (0.50 mm)	"	810.08	810.08
	c) 24 गेज Heavy (0.52 mm)	"	837.70	837.70
	CGI सादा जस्ता पाता को घुरी (Ridge Cover) Specified thickness are thickness of base metal.			
	सादा cgi जस्ता पाता			
	a) 28 गेज Light (0.26mm)	व.मि.	134.40	134.40
	b) 28 गेज Medium(0.28mm)	"	143.79	143.79
	c) 28 गेज Heavy (0.31mm)	"	156.04	156.04
	a) 26 गेज Light(0.35mm)	"	173.12	173.12
	b) 26 गेज Medium(0.38mm)	"	181.66	181.66
	c) 26 गेज Heavy (0.41mm)	"	198.75	198.75
	४ फिट * ८ फिट को जि.आई. प्लेन सिट			
	अ) ०.२८ मि.मि मोटाईको, २८ गज	रमि	467.4	467.40
	आ) ०.३७ मि.मि मोटाईको, २६ गज	"	590.4	590.40
	इ) ०.४ मि.मि मोटाईको	"	635.5	635.50

[Handwritten signature]



[Handwritten signature]

विनोद कार्की
प्रमुख प्रशासकीय अधिकृत

[Handwritten signature]

	ई) ०.४५ मि.मि मोटाईको	"	707.25	707.25
	अ) ०.५० मि.मि मोटाईका (12.05 Kg.), 24 gauge	"	772.85	772.85
	इ) ०.६२ मि.मि मोटाईका	"	947.1	947.10
	ई) ०.७५ मि.मि मोटाईका	"	1135.7	1135.70
	४ फिट * ८ फिट को रङ्गिन प्लेन सिट			
	अ) ०.२८ मि.मि मोटाईको, २८ गज	रमि	547.35	547.35
	आ) ०.३७ मि.मि मोटाईको, २६ गज	"	674.45	674.45
	इ) ०.४ मि.मि मोटाईको	"	729.8	729.80
	ई) ०.४५ मि.मि मोटाईको	"	797.45	797.45
	अ) ०.५० मि.मि मोटाईका (12.05 Kg.), 24 gauge	"	869.2	869.20
	इ) ०.६२ मि.मि मोटाईका	"	1045.5	1045.50
	ई) ०.७५ मि.मि मोटाईका	"	1221.8	1221.80
	Corrugated Fibre Glass sheet For Roofing 0.8 mm thick	बमि	1400	1400.00
19	एलुमिनियम प्लेन सिट			
	(क) २६ गेज	व.फि.		33.00
	(ख) ३० गेज	"		31.00
20	विभिन्न प्रकारको जालीहरु (Netting)			0.00
	(क) मसिनो खालको Mosquito proof जाली	व.मी	137	137.00
	(ख) बालुवा चाल्ने जाली	"	143	143.00
	(ग) कुखुरे जाली (Chicken wire mesh)	"	87	87.00
	(घ) ब्रास क्रसिङ्ग जाली	"	224	224.00
22	विभिन्न किसिमका काठहरु, Wood			
	(क) १ लाइन चौडाई ४ लाइन मोटाईको काठको लिस्ती	मिटर	19.00	17.00
	(ख) स्थानीय कडा काठ (चिरान) (चिलाउने, कटुस, फ्लाट, खसु, बाँफ आदी)	घ. फि	1840.00	1840.00
	(ग) स्थानीय नरम काठ (उत्तीस, सल्लो आदि)	"	1235.00	1235.00
	(घ) स्थानीय सालको काठ	"	4200.00	4200.00
	(ङ) काठ दाउरा	के.जी	22.00	22.00
	Ready made teak wood doors (Seasoned & poisoned treated) (excluding the cost of fitting, transportation, painting)			
	Ready made door shutter Recon, ordinary (1 side teak)	व.फि.	206.85	206.85
	Ready made door shutter Recon, special (1 side teak)	व.फि.	281.40	281.40
	Oneside water proof ply fitting			
	Ready made door shutter Recon, ordinary (1 side teak)	व.फि.	237.30	237.30

[Handwritten signature]



[Handwritten signature]

[Handwritten signature]

विनोद कार्की
प्रमुख प्रशासकीय अधिकृत

[Handwritten signature]

	Ready made door shutter Recon, special(1 side teak)	व.फि.	318.15	318.15
23	विभिन्न मोटाईको प्लाइउडहरु			
	Commercial			
	(क) ३ मी.मी	व.मि	254.00	254.00
	(क) ३.५ मी	व.मि	254.00	254.00
	(ख) ४ मी.मी	"	302.00	302.00
	(ग) ६ मी.मी	"	480.00	480.00
	(घ) ८ मी.मी	"	534.00	534.00
	(ङ) १२ मी.मी	"	815.00	815.00
	(च) १८ मी.मी	"	1187.00	1187.00
	(च) १९ मी.मी	"	1187.00	1187.00
	Water Proof		0.00	0.00
	क) ४ मी.मी	व.मि	556.00	556.00
	क) ६ मी.मी	व.मि	771.00	771.00
	ख) ८ मी.मी	"	836.00	836.00
	ग) १२ मी.मी	"	1057.00	1057.00
	घ) १९ मी.मी	"	1467.00	1467.00
	Natural Teak Plywood			
	One side lamination			
	(क) ३ मी.मी	व.फि	673	673.00
	(ख) ४ मी.मी	"	882	882.00
	(ग) ६ मी.मी	"	429	429.00
24	Prelaminated Particle Board			
	Plain Particle Board (Exteriors Grade)			
	(क) ९ मी.मी	व.फि	429	429.00
	(ख) १२ मी.मी	"	476	476.00
	(ग) १८ मी.मी	"	615	615.00
	(घ) २५ मी.मी	"	823	823.00
	One side lamination Melaminated faced (Exteriors Grade)			
	(क) ९ मी.मी	व.फि	859	859.00
	(ख) १२ मी.मी	"	964	964.00
	(ग) १८ मी.मी	"	1137	1137.00
	(घ) २५ मी.मी	"	1474	1474.00
	Both side lamination Melaminated faced (Exteriors Grade)			
	(क) ९ मी.मी	व.फि	964	964.00
	(ख) १२ मी.मी	"	1103	1103.00
	(ग) १८ मी.मी	"	1276	1276.00
	(घ) २५ मी.मी	"	1613	1613.00
	Plain Particle Board (Interiors Grade)			
	(क) ९ मी.मी	व.फि	313	313.00
	(ख) १२ मी.मी	"	359	359.00
	(ग) १८ मी.मी	"	533	533.00

[Handwritten signature]



[Handwritten signatures]

विनोद कार्की
प्रमुख प्रशासकीय अधिकृत

[Handwritten signature]

	(घ) २५ मी.मी	"	684	684.00
	One side lamination Melaminated faced (Interiors Grade)			
	(क) ३ मी.मी	व.फि	464	464.00
	(ख) ६ मी.मी	"	661	661.00
	(ग) ९ मी.मी	"	754	754.00
	(घ) १२ मी.मी.	"	859	859.00
	(ड) १८ मी.मी.	"	998	998.00
	(च) २५ मी.मी	"	1242	1242.00
	Both side lamination Melaminated faced (Interiors Grade)			
	(क) ३ मी.मी	व.फि	533	533.00
	(ख) ६ मी.मी	"	720	720.00
	(ग) ९ मी.मी	"	859	859.00
	One side lamination Melaminated faced (Interiors Grade)MDF			
	(क) ३ मी.मी	व.फि	533	533.00
	(ख) ४ मी.मी	"	615	615.00
	(ग) ६ मी.मी	"	754	754.00
	(घ) ९ मी.मी	"	986	986.00
	Both side lamination Melaminated faced (Interiors Grade)MDF			
	(क) ३ मी.मी	व.फि	615	615.00
	(ख) ४ मी.मी	"	684	684.00
	(ग) ६ मी.मी	"	847	847.00
	(घ) ९ मी.मी	"	1055	1055.00
25	Other Hard Board/Sunmica & Formaica)			
	(क) सनमाईका (4' X 8')	पाता	524	524.00
	(ख) फोरमाईका	व.फि	871	871.00
	(ग) हार्डबोर्ड (Hard board) 12 mm thick	"	510	510.00
26	Glass सीसा			
	Plain सादा (सेतो)			
	(क) ३ मी.मी.	व.मि	610.00	610.00
	(ख) ४ मी.मी.	व.मि	675.00	675.00
	(ग) ५ मी.मी. "	"	1040.00	1040.00
	(घ) ६ मी.मी. "	"	1205.00	1205.00
	Printed Glass (बुट्टेदार सिसा)			
	(क) ३ मी.मी.	व.मि	550.00	550.00
	(ख) ४ मी.मी " "	"	645.00	645.00
	Poly Fibre Glass			
	(क) ०६ मी.मी.	"	1680.00	1680.00
	Black Color Glass			
	(क) ३ मी.मी.	व.मि	1040.00	1040.00
	(ख) ४ मी.मी.	व.मि	1125.00	1125.00
	(ग) ५ मी.मी.	व.मि	1280.00	1280.00

[Handwritten signature]



[Handwritten signature]

विनोद कार्की
प्रमुख प्रशासकीय अधिकृत

[Handwritten signature]

Brass बाट बनेका			
Hinge (कच्चा)			
2" x 1/2"	गोटा	65.00	65.00
2 1/2 x 3/4"	"	75.00	75.00
3" x 3/4"	"	90.00	90.00
2" x 3/4"	"	75.00	75.00
2 1/2 x 3/4"	"	80.00	80.00
3" x 3/4"	"	90.00	90.00
3" x 1"	"	190.00	190.00
4" x 1"	"	285.00	285.00
5" x 1"	"	380.00	380.00
6" x 1"	"	465.00	465.00
Towerbolt (छेस्कीनी) Alumunium बाट बनेको पोलीस सहित		0	0.00
(क) ३" लामो	गोटा	21.00	21.00
(ख) ४" लामो	"	42.00	42.00
(ग) ६" लामो	"	68.00	68.00
(घ) ८" लामो	"	0.00	81.00
(ङ) १०" लामो	"	0.00	95.00
(च) १२" लामो	"	108.00	108.00
Handle (हतकल) ब्रासबाट बनेको		0	0.00
5"	गोटा	145.00	145.00
6"	"	155.00	155.00
8"	"	465.00	465.00
10"	"	960.00	960.00
Brass Locking Set (L-drop)		0	0.00
(क) ८" लामो	गोटा	960.00	960.00
(ख) १०" लामो	"	1580.00	1580.00
(ग) १२" लामो	"	1755.00	1755.00
Locking Set , 250 mm		0.00	0.00
आल्मसनियम		405.00	405.00
ब्रास		1640.00	1640.00
स्टील		325.00	325.00
Special Fittings			
एल ड्रप :-			
८" लामो	गोटा	1075.00	1075.00
१०" लामो	"	1210.00	1210.00
१२" लामो	"	1260.00	1260.00
हयाण्डल :-		0.00	0.00
८" लामो	"	1260.00	1260.00
डबल कलर (गोल्ड सिल्भर/ब्ल्याक सिल्भर)			
एल ड्रप :-			
८" लामो	गोटा	900	900.00
१०" लामो	"	1140	1140.00

[Handwritten signature]

सिस्बु पाखर गाउँपालिका
गाउँ कार्यपालिकाको कार्यालय
अत्तरपुर, सिन्धुपाल्चोक
बागमती प्रदेश, नेपाल
२०७३

[Handwritten signature]

विनोद कार्की
प्रमुख प्रशासकीय अधिकृत

[Handwritten signature]

(घ) ६ मी मी	"	1760.00	1760.00
(ड) ८ मी मी	"	2570.00	2570.00
(च) १० मी मी	"	3685.00	3685.00
(छ) १२ मी मी	"	4160.00	4160.00
Tinted Float glass बाहिर बाट नदेखिने भित्रबाट देखिने		0	0.00
(क) ५ मि.मि बाक्लो	व.मि.	1250.00	1250.00
छानामा प्रयोग गरिने बुट्टेदार ऐना Itching Glass with simple shade and texture		0.00	0.00
(क) ४ मी मी बाक्लो	व.मि.	5985.00	5985.00
विभिन्न रंगको Reflector Glass (शिशा)		0.00	0.00
५ मी मी मोटो	व.मि.	1915.00	1915.00
Note: ४ फिट * ८ फिट भन्दा बढी साइजको सिसा भएमा ५० % थप रकम लाग्ने छ।			
28 भ्याल ढोकामा लाग्ने Fixture हरू			
Iron बाट बनेका			
Hinge (कच्चा)			
(क) ३" लामो	गोटा	17.00	17.00
(ख) ४" लामो	"	30.00	30.00
(ग) ५" लामो	"	45.00	45.00
(घ) ६" लामो	"	57.00	57.00
Locking Set (L-drop) फलामबाट बनेको			
300 mm	गोटा	265.00	265.00
225 mm	"	230.00	230.00
150 mm	"	197.00	197.00
Aluminum बाट बनेका			
Towerbolt (छेस्कीनी)			
(क) ३" लामो	गोटा	21.00	21.00
(ख) ४" लामो	"	42.00	42.00
(ग) ६" लामो	"	68.00	68.00
(घ) ८" लामो	"	81.00	81.00
(ड) १०" लामो	"	95.00	95.00
(च) १२" लामो	"	108.00	108.00
पित्तल बाट बनेका Brass			
Towerbolt (छेस्कीनी)			
(क) ३" लामो	गोटा	145.00	145.00
(ख) ४" लामो	"	190.00	190.00
(ग) ६" लामो	"	286.00	286.00
(घ) ८" लामो	"	382.00	382.00
(ड) १०" लामो	"	480.00	480.00
(च) १२" लामो	"	575.00	575.00
Aluminium Handle (हतकल)			
Ordinary	गोटा	33.00	33.00
Special	"	48.00	48.00

[Handwritten signature]



[Handwritten signature]

विनोद कार्की
प्रमुख प्रशासकीय अधिकृत

[Handwritten signature]

१२" लामो	"	1260	1260.00
ह्याण्डल :-		0	0.00
१" लामो	"	255	255.00
८" लामो	"	385	385.00
Mortice Lock		0	0.00
Ordinary	गोटा	630	630.00
Chinese	"	420	420.00
Indian Godrej Company	"	2580	2580.00
Brass	"	1140	1140.00
Door Spring (Door Closer)		0	0.00
Ordinary	गोटा	180	180.00
hydraulic	"	1890	1890.00
Other Door/Windows fixtures		0	0.00
Window I-hook-8", aluminium	गोटा	0	0.00
Window I-hook-9", iron	गोटा	0	0.00
Window I-hook	गोटा	19	19.00
Gate Hook		0	0.00
4"	गोटा	32	32.00
5"	"	35	35.00
6"	"	43	43.00
Brass gate hook	"	76	76.00
Door stopper		0	0.00
Butterfly	"	150	150.00
Bell catch 2" size	"	200	200.00
C.P. handle	"	430	430.00
Power coated handle	"	410	410.00
Brass coated handle	"	885	885.00
Door stopper, single brass stopper	सेट	100	100.00
Door stopper double brass stopper	"	180	180.00
29 विविध सामग्रीहरू Different material		0	0.00
Hold fast different sizes (7 nos./Kg.)	के.जी.	150.00	150.00
Nails (different sizes)	के.जी.	135.00	135.00
पेच किला		0.00	0.00
3/4"	१०० पिस	0.00	0.00
1"	१०० पिस	0.00	0.00
1-1/2"	१०० पिस	0.00	0.00
2"	१०० पिस	0.00	0.00
कंकट पाता छाउन चाहिने सामग्री		0.00	0.00
बोल्ट	पाकेट	0.00	0.00
विटमिन बासर	गोटा	3.00	3.00
जे हुक	केजि	166.00	166.00
कटोरी बासर	केजि	0.00	0.00
Nut and Bolts (different sizes)	गोटा	36.00	36.00
Nut and Bolts (different sizes)	के.जी.	201.00	201.00

[Handwritten signature]



[Handwritten signature]

[Handwritten signature]

विनोद कार्की
प्रमुख प्रशासकीय अधिकृत

[Handwritten signature]

	Screw Brass		0	0.00
	20mm	गोटा	3.00	3.00
	25mm	"	4.00	4.00
	35mm	"	5.00	5.00
	50mm	"	15.00	15.00
	75mm	"	18.00	18.00
	Screw Steel		0	0.00
	20mm	गोटा	1.00	1.00
	25mm	"	2.00	2.00
	35mm	"	2.00	2.00
	50mm	"	9.00	9.00
	75mm	"	10.00	10.00
	जूट खाली बोरा	गोटा	18.00	18.00
	पोलिथिनको खाली बोरा	गोटा	18.00	18.00
	बास, स्थानीय २० फिट भन्दा बढी	बटा	250.00	250.00
	बास, सानो	"	0.00	0.00
	माटो	घ.मि.	268	268.00
	माटो कमेरो	केजि	0	0.00
	भुस	के.जि.	5.00	5.00
	गोबर	के.जि.	5.00	5.00
	जूटको डोरी, ५ मिटर लामो	"	27.00	25.00
	Staircase को 3/4" x 3/4" square pipe मा लगाउने Brass cap	गोटा	93.00	93.00
	Staircase को 1" x 1" square pipe मा लगाउने Brass cap	गोटा	98.00	98.00
	Tarpoline sheet (तारपोलिन सिट)	व.फि.	9	9.00
32	Marble Rajasthani		0	0.00
	१३ मी.मी बाक्लो राजस्थानी	व.फि.	183.75	183.75
	१६ मी.मी बाक्लो राजस्थानी	व.फि.	189.31	189.31
	१६ मी.मी बाक्लो ग्रेनाइट	व.फि.	267.75	349.35
	१९ मी.मी बाक्लो ग्रेनाइट	व.फि.	304.50	390.33
	१२ मी.मी बाक्लो ग्रेनाइट	व.फि.		341.25
33	Porcelain Glazed/Terrazo Mosaic Tiles			
	Porcelain Glazed Tiles			
	Border Tile -2"X8"	र.फि.	47.25	47.25
	Indian Ceramic wall tile-31X45 cm	व.फि.	198.29	198.29
	Floor tile-31cmX45cm	व.फि.	165.89	165.89
	Floor tile-12"X12"	व.फि.	97.65	96.60
	wall tile-12"x24"	व.फि.	143.85	141.75
	wall tile-12"x18"	व.फि.	114.45	112.35
	GVT Floor tile (Glazed verified tile(600x600)	व.फि.	207.90	160.65

[Handwritten signature]



[Handwritten signature]

[Handwritten signature]

विनोद कार्की
प्रमुख प्रशासकीय अधिकृत

[Handwritten signature]

2	छाना छाउने बले टायलहरू		0.00	0.00
	क) मेशिनबाट उत्पादित टायल	गोटा	18.00	18.00
	ख) चिमनी भट्टाको टायल	"	16.00	16.00
	ग) मेशिनबाट उत्पादित धुरी	"	32.00	32.00
	घ) चिमनी भट्टाको धुरी	"	26.00	26.00
3	भूईमा/ कौसीमा छाप्ने बले टायल:		0.00	0.00
	क) मेशिनबाट उत्पादित बले टायल	गोटा	10.00	10.00
	ख) चिमनी भट्टाको बले टायल	"	9.00	9.00
31	रंगरोगनका सामानहरू		0	0.00
	(क) कृषि चुनबाट उत्पादित सेतो चुन	के.जि.	19.60	19.60
	(ख) विभिन्न प्रकारको रंगिन चुन	"	36.30	36.30
	(ग) विभिन्न प्रकारको भारतीय चुन रंगिन	"	40.20	40.20
	(घ) सिमेन्ट पेन्ट (Cement Paints)	के.जि.	75.50	75.50
	(ङ) साधारण सेन्थेटिक इनामेल पेन्ट	लिटर	535.10	535.10
	च) नेपाल रेडको म्याट फिनिसिङ्ग	लिटर	515.50	515.50
	छ) उड प्राइमर (Wood Primer)	लिटर	383.20	383.20
	(ज) कोरुगेटेड रूफ Paint	"	485.10	485.10
	(झ) तयारी अल्मुनियम पेन्ट	"	556.60	556.60
	(ञ) तयारी बार्नेस	"	448.80	448.80
	(ट) तयारी बार्नेर सेन्थेटिक	"	346.90	346.90
	(ठ) भारतीय थिनर	"	234.20	234.20
	ड) उड एण्ड ग्लास पुटिन	के.जी	337.10	337.10
	ढ) मेटल पुटिन	"	157.80	157.80
	ण) चुना पेन्ट गर्न राख्ने गम	"	206.80	206.80
	त) नेपाली थिनर	लिटर	222.50	222.50
	(थ) सिमेन्ट प्राइमर सेतो	"	273.40	273.40
	(द) तारपिन तेल	"	218.50	218.50
	(ध) रेड अकसाइड पेन्ट (Red oxide Paint)	"	266.60	266.60
	(न) उड प्रिजर मेटिङ्ग पेन्ट	"	232.30	232.30
	(प) Black japan Paint	"	291.10	291.10
	(फ) राम तिलक	के.जि.	56.80	56.80
	(ब) रातो माटो (गेरु रंग)	के.जि.	139.20	139.20
	(भ) चप्रा पालिस	के.जि.	933.90	933.90
	(म) तयारी वासेबल डिस्टेम्पर	लि.	227.40	227.40
	य) तयारी प्लास्टिक्स इमल्सन पेन्ट - Interior	लि.	536.10	536.10
	य) तयारी प्लास्टिक्स इमल्सन पेन्ट -Exterior	"	0.00	0.00
	Plastic Emulsion paint	"	0.00	0.00
	तयारी Exterior weather coat	"	642.90	642.90
	(र) Road Marking Paint	"	590.00	590.00
	(ल) लिनसिड आयल (linsed Oil)	"	199.90	199.90
	(व) स्थानीय स्पीट	लि.	120.50	120.50
	(स) मोविकल / फेविकल	के.जि.	266.60	266.60
	मैन पालिस	"	0.00	0.00
	(प) Tata Red Oxide Paint	"	266.60	266.60

[Handwritten signature]

लिनसिड पाखर गाउँपालिका
गाउँ कार्यपालिकाको कार्यालय
बत्तारपुर, सिन्धुपाल्चोक
बागमती प्रदेश, नेपाल
२०७३

[Handwritten signature]

बिनोद कार्की
प्रमुख प्रशासकीय अधिकृत

[Handwritten signature]

	वाल पट्टिड (wall proof)	"	70.60	70.60
	Paint Brush-1"	गोटा	70.00	74.00
	Paint Brush-2"	"	140.00	149.00
	Paint Brush-3"	"	210.00	223.00
	Paint Brush-4"	"	280.00	298.00
	Roller for coloring	"	400.00	426.00
	खान्सी (sand paper)	"	8.00	8.00
*	(क्ष) White putty Plain	के.जि.	38.00	38.00
	(क्ष) White putty-water proof	के.जि.	63.00	63.00
28	Marble chips			
	क) सेतो रंगको मार्बल चिप्स (२५ के.जी प्रति बोरा)	बोरा	187.00	187.00
	ख) रंगीन मार्बल चिप्स (२५ के.जी प्रति बोरा)	बोरा		
	ग) क्रेजी मार्बल (६ बर्ग फिट प्रति बोरा)	बोरा		
	घ) मार्बल पाउडर (२५ के.जी प्रति बोरा)	बोरा		
	(त्र) Plaster of Parish (POP)	के.जि.	23.50	23.50
36	Thai gypsum board बाट उत्पादन भएको सामानहरु		0	0.00
	iii)Wall partation	व.फि	116.58	116.58
	iv)Wall paneling	"	77.42	77.42
	12.5mm thick Gypsum Board False ceiling including all necessary material	"	68.58	68.58
	Vinyl laminated gypsum ceiling board (7mm thick)	"	95.00	95.00
37	स्टेनलेस स्टील पाइप		0	0.00
	३/४" व्यास भएको १६ गेज मोटाई	मी.	291.00	291.00
	१" व्यास भएको १६ गेज मोटाई	मी.	366.00	366.00
	१ १/४" व्यास भएको १६ गेज मोटाई	मी.	466.00	466.00
	१ १/२" व्यास भएको १६ गेज मोटाई	मी.	565.00	565.00
	२" व्यास भएको १६ गेज मोटाई	मी.	758.00	758.00
38	सिमेन्टमा, बालुवा, गिट्टी आदिको काम तथा सामानहरु सम्बन्धी		0	0.00
	Concrete block		0	0.00
	300X100X150 mm	गोटा	33.00	31.00
	400X100X200 mm	गोटा	35.00	33.00
	400X150X200 mm	गोटा	40.00	37.00
	hollow block (16"x8"x6")	गोटा	79.00	37.00
	hollow block (16"x8"x4")	गोटा	70.00	32.00
	60 mm thick CC block		0	0.00
	brick type (23x11) non color	गोटा	10.00	10.00
	hexagonal (22x22 cm) non color	गोटा	23.00	23.00
	hexagonal (22x22 cm) color	गोटा	25.00	25.00
	Cellular light weight concrete (CLC) block		0	0.00
	24"X8"X4"	गोटा	124	124.00
	24"X8"X6"	गोटा	187	187.00
	24"8"8"	गोटा	250	250.00

[Handwritten signature]



[Handwritten signatures]

विनोद कार्की
प्रमुख प्रशासकीय अधिकृत

[Handwritten signature]

Autoclaved Aerated Concrete Block (Cemend Based)		0	0.00
2'x8"x4"	गोटा	137	137.00
2'x8"x6"	गोटा	205	205.00
2'x8"x8"	गोटा	276	276.00
Interlocking Cement Concrete Block		0	0.00
e) Curb stone M-30 grade.	र.मि.	1103	1103.00
25 mm thick C.C. Tile (Grey color)		0	0.00
Burfi Checker	Sqft	60	60.00
Round Checker	"	60	60.00
Boby Checker	"	60	60.00
25 mm thick C.C. Tile (Red color)		0	0.00
Burfi Checker	Sqft	62	62.00
Round Checker	"	62	62.00
Boby Checker	"	62	62.00
50 mm thick CC Block (Grey color)		0	0.00
Cosmix	Sqft	70	70.00
Hexagon	"	70	70.00
Threehex	"	70	70.00
Royal tone Interlock	"	70	70.00
I-Interlock	"	70	70.00
Plus Interlock	"	70	70.00
50 mm thick CC Block (Red color)		0	0.00
Cosmix	Sqft	70	70.00
Hexagon	"	70	70.00
Threehex	"	70	70.00
Royal tone Interlock	"	70	70.00
I-Interlock	"	70	70.00
Plus Interlock	"	70	70.00
60 mm thick CC Block (Grey color)		0	0.00
Cosmix	Sqft	72	72.00
Hexagon	"	72	72.00
Threehex	"	72	72.00
Royal tone Interlock	"	72	72.00
I-Interlock	"	72	72.00
Plus Interlock	"	72	72.00
60 mm thick CC Block (Red color)		0	0.00
Cosmix	Sqft	73	73.00
Hexagon	"	73	73.00
Threehex	"	73	73.00
Royal tone Interlock	"	73	73.00
I-Interlock	"	73	73.00
Plus Interlock	"	73	73.00

[Handwritten signature]



[Handwritten signatures]

विनोद कार्की
प्रमुख प्रशासकीय अधिकृत

[Handwritten signature]

	70 mm thick CC Block (Red color)		0	0.00
	Cosmix	Sqft	62	62.00
	Hexagon	"	62	62.00
	Threhex	"	62	62.00
	Royal tone Interlock	"	62	62.00
	I-Interlock	"	62	62.00
	Plus Interlock	"	62	62.00
48	Aerocon/Rapicon prefab Panel for Partition wall			
	Cement board Aerocon c board			
	6mm thick	Sqft	36	36.00
	8 mm thick	Sqft	44	44.00
	10 mm thick	Sqft	56	56.00
	12 mm thick	Sqft	68	68.00
	Supply and erection of different mm th cement base prefabricated everest solid wall panel (rapicon) non absestos including 1.1 mm thick GI channel with necessary accessories and fittings charge in partation wall conform to IS 14862 (density more than 1200 kg/m³) Everest or euivalent		0	0.00
	50 mm thick	Sqft	254	254.00
	75 mm thick	Sqft	321	321.00
52	Aluminium Door & Windos		0	0.00
	<i>Mention rates are including supplying of necessary chemicals, materials, fittings, labours as per manufacturer's specifications all complete or as per consultant's direction.</i>		0	0.00
	Providing & fixing single panel casement (hinged) Door of alumuminium section in natural or color anonized/power coated color section size (101*45*1.5mm) fitted with 5 mm clear glass or 9 mm both side laminated board (Excluding cost of handle & door closer)	व.फि	689	689.00
	Providing & fixing double panel casement (hinged) Door of alumuminium section in natural or color anonized/power coated color section size (102*45*1.5mm) fitted with 5 mm clear glass or 9 mm both side laminated board (Excluding cost of handle & door closer)	"	759	759.00
	Providing & fixing single panel swing Door of alumuminium section in natural or color anonized/power coated color section size (102*45*1.5mm) fitted with 5 mm clear glass or 9 mm both side laminated board (Excluding cost of handle & door closer)	"	877	877.00

[Handwritten signature]



[Handwritten signature]

[Handwritten signature]

विनोद कार्की
प्रमुख प्रशासकीय अधिकृत

[Handwritten signature]

[Handwritten signature]

Providing & fixing double panel swing Door of aluminium section in natural or color anodized/power coated color section size (102*45*1.5mm) fitted with 5 mm clear glass or 9 mm both side laminated board (Excluding cost of handle & door closer)	"	966	966.00
Providing & fixing 2 or 3 panel sliding window of aluminium section in naturally anodized or black anodized/power coated color section size (87*56*1.2mm) fitted with 5 mm clear glass without fly mesh shutter (window size 6'X5' or average area 30 sqft per window)	"	550	550.00
Providing & fixing 2 or 3 panel sliding window of aluminium section in naturally anodized or black anodized/power coated color section size (87*56*1.5mm) fitted with 5 mm clear glass without fly mesh shutter (window size 6'X5' or average area 30 sqft per window)	व.फि	634	634.00
Providing & fixing 2 or 3 panel sliding window with top fix glass of aluminium section in naturally anodized or black anodized/power coated color section size (87*56*1.2mm) fitted with 5 mm clear glass without fly mesh shutter (window size 6'X5' or average area 30 sqft per window)	व.फि	599	599.00
Providing & fixing 2 or 3 panel sliding window with top fix glass of aluminium section in naturally anodized or black anodized/power coated color section size (87*56*1.5mm) fitted with 5 mm clear glass without fly mesh shutter (window size 6'X5' or average area 30 sqft per window)	व.फि	690	690.00
providing & fixing fixed window of aluminium section in naturally anodized or black anodized/power coated color, section size (87*25+12*1.2 mm) fitted with 5 mm clear glass with out fly mesh shutter (Average area 5 sq.ft per panel)	व.फि	456	456.00
providing & fixing fixed window of aluminium section in naturally anodized or black anodized/power coated color, section size (87*25+12*1.5 mm) fitted with 5 mm clear glass with out fly mesh shutter (Average area 5 sq.ft per panel)	व.फि	524	524.00
providing & fixing fly mesh shutter with stainless steel fly mesh in 90 series window (section thickness 1mm)	व.फि	200	200.00

[Handwritten signature]



[Handwritten signatures]

[Handwritten signature]

विनोद कार्की
प्रमुख प्रशासकीय अधिकृत

[Handwritten signature]

	providing and fixing full height partition of aluminium section in naturally anodized or black anodized /power coated color section size (102*45*1.5) fitted with 5 mm clear glass or 9 mm both side laminated board (average panel area=8 sqm)	व.फि	553	553.00
	providing and fixing half height partition of aluminium section in naturally anodized or black anodized /power coated color section size (102*45*1.5) fitted with 5 mm clear glass or 9 mm both side laminated board (average panel area=8 sqm)	व.फि	600	600.00
	providing and fixing full height partition of aluminium section in naturally anodized or black anodized /power coated color section size (64*38*1.1) fitted with 5 mm clear glass or 9 mm both side laminated board (average panel area=8 sqm)	व.फि	415	415.00
	providing and fixing low height partition of aluminium section in naturally anodized or black anodized /power coated color section size (64*38*1.1) fitted with 5 mm clear glass or 9 mm both side laminated board (average panel area=8 sqm)	व.फि	509	509.00
54	Pressure Grouting	व.फि	0	0.00
	i) Providing material & applying pressure grouting on Rcc roof slab.	व.फि	40	40.00
	ii) Do but on basement	व.फि	45	45.00
	iii) Providing material and applying pressure grouting on Rcc slab, basement and water tank 2 coats	व.फि	50	50.00
	iii) Do but sealing Rcc slab crack	व.फि	52	52.00
	iv) Do but Rcc column	Point	330	330.00
55	Eradication of peepal & other plants		0	0.00
	a) Stem up to 1" thickness	गोटा	375	375.00
	b) Stem up to 1"-2" thickness	गोटा	680	680.00
	c) Stem up to 2"-3" thickness	गोटा	1300	1300.00
	d) Stem up to 3"-4" thickness	गोटा	2480	2480.00
56	Miscellaneous Item		0	0.00
	Water proof of terrace & roof garden		0	0.00
	Supplying and laying of 2 pack polymer modified cementious water proofing coatings (Acrocote) all complete.	व.मी.	735	735.00
	Pabbles cladding work	व.मी.	460	460.00
	Eco-UPVC Roofing Sheet including the cost of material and labour fitting, fixing, all complete job		0	0.00
	3mm	Sqft	108	108.00
	2mm	Sqft	70	70.00

[Handwritten signature]

[Handwritten signature]



सिन्धु पाखर गाउँपालिका
गाउँ कार्यपालिकाको कार्यालय
बत्तारपुर, सिन्धुपाल्चोक
बागमती प्रदेश, नेपाल
२०७३

[Handwritten signature]

दिनोद कार्की
प्रमुख प्रशासकीय अधिकृत

[Handwritten signature]

60	38 mm thick Chemically treated, machine made water proof Borer Free solidcore Ready made Door flush shutter		0	0.00
	38 mm th. solid flush door (Both side teak) water proof	व.फि	350	350.00
	38 mm th. solid flush door (One side teak) water proof	"	301	301.00
20	Ready made Teak wood Doors (Seasoned and Poisoned treated) (excluding the cost of fitting, transportation, Painting)		0	0.00
	Readymade door shutter Recon, ordinary (1 side teak)	Sqft	0	187.00
	Readymade door shutter Recon, Special (1 side teak)	Sqft	0	255.00
	If Onside water proof ply fitting		0	0.00
	Readymade door shutter Recon, ordinary (1 side teak)	Sqft	0	214.00
	Readymade door shutter Recon, Special (1 side teak)	Sqft	0	288.00
	viii) Automatic motor operator for water mo pump (पानी भरिएपछि स्वचालित रूपमा on/off हुने प्रणाली)		0	0.00
	Up to 1/2 H.P.	गोटा	4000	4000.00
	1.0 H.P.	गोटा	5500	5500.00
	5 H.P.	गोटा	9000	9000.00
63	Equipment Hired Rate Based on DoR तेल बाहेक		0.00	
	a) Asphalt Plant* (Upto 10 ton)	Per hr.	400.00	400.00
	b) Asphalt Plant* (40 ton/ hour)	"	500.00	500.00
	c) Asphalt Paver	"	1400.00	1400.00
	d) Asphalt, Mixer (Bel mix)	"	1000.00	1000.00
	e) Broom Road, Towed	"	260.00	260.00
	f) Boring Rig	"	1200.00	1200.00
	g) Air compressor 150 to 275 CPM	"	250.00	250.00
	h) Crane Mobile 5 to 10 ton	"	3100.00	3100.00
	i) Crane Mobile (10+ to 15 ton)	"	3500.00	3500.00
	k) Cutter Concrete	"	250.00	250.00
	l) Dozer Wheel (181+ to 230 HP)	hr	2100.00	2100.00
	m) Dozer, Track (126+ to 180 HP)	"	1800.00	1800.00
	n) Dozer, Track (180+ to 240 H)	"	2000.00	2000.00
	o) Bitumin Distributer (4 to 6 KL)	"	1300.00	1300.00
	p) Rock Drill (Engine)	"	0.00	0.00
	q) Rock Drill (Pneumatic)	"	0.00	0.00
	r) Mini Dumper (Upto 1CUM)	"	500.00	500.00
	s) Mini Dumper (1 CUM+)	"	550.00	550.00
	t) Excavator, Wheel (Upto 110 HP)	"	0.00	0.00
	u) Excavator, Track (Upto 110 HP)	HR	1200.00	1200.00
	u) Excavator, Track (110 HP-150 HP)	"	1800.00	1800.00
	Excavator+ Breaker (110HP-150 HP)	"	2100.00	2100.00

[Handwritten signature]

सिन्धु पाखर गाउँपालिका
गाउँ कार्यपालिकाको कार्यालय
अत्तरपुर, सिन्धुपाल्चोक
बागमती प्रदेश, नेपाल
२०७३

[Handwritten signature]

[Handwritten signature]

विनोद कार्की
प्रमुख प्रशासकीय अधिकृत

[Handwritten signature]

v) Fork Lift Truck (Upto 2.5 ton)			
w) Generator* (Upto 10 KVA)	"	400.00	400.00
x) Generator* (10+ to 30 KVA)	"	150.00	150.00
aa) Grador motor (80 to 145 HP)	"	150.00	150.00
cc) Chips spreader tail gate mounted	"	1600.00	1600.00
dd) Bitumin heater (Upto 2 KL)	"	300.00	300.00
ee) Loader, Wheel (1 to 1.75 CUM)	"	180.00	180.00
ff) Loader, Wheel (1.75+ to 2.5 C)	"	1000.00	1000.00
gg) Back Hoe Loader (<90 HP)	"	1500.00	1500.00
gg) Back Hoe Loader (>90 HP)	"	1000.00	1000.00
hh) Mixer Concrete	"	1050.00	1050.00
ii) Maintainer (Upto 75 HP)	"	1000.00	1000.00
ij) Water Pump (Upto 4" DIA)	"	0.00	0.00
jj) Water Pump (Upto 4" DIA)	"	150.00	150.00
kk) Pile Driver*	"	3000.00	3000.00
ll) Roller 3, Wheel (Upto 12 ton)	"	500.00	500.00
mm) Roller, Pneumatic (Upto 20 ton)	"	1200.00	1200.00
nn) Roller, Vib Pedestrian (Upto 0.5 ton)	"	400.00	400.00
oo) Roller, Vib Sheep Foot (Upto 10 ton)	"	700.00	700.00
pp) Roller, Vib, Self Prop (Upto 3 ton)	"	550.00	550.00
qq) Roller, Vib, Self Prop (3 ton+)	"	800.00	800.00
rr) Roller, Vib, towed (Upto 7 ton)	"	800.00	800.00
ss) Spreader chips, Self propeeled	"	800.00	800.00
tt) Sprayer, Emulsion (Upto 1 KL)	"	1500.00	1500.00
uu) Truck, Flat Bed/ Crane (Upto 7 ton)	"	260.00	260.00
vv) Truck, Flat Bed (Upto 150 HP)	"	800.00	800.00
ww) Truck, Tipper (Upto 150 HP)	"	450.00	450.00
xx) Truck Tipper (From 150 HP+)	"	450.00	450.00
yy) Truck Tipper (From 150 HP+)	"	1100.00	1100.00
zz) Trailer, Tractor (10+ to 25 ton)	"	2200.00	2200.00
aaa) Trailer, Tractor (25 ton+)	"	2700.00	2700.00
bbb) Water Tanker (Upto 16 KL)	"	550.00	550.00
ccc) Trailer	"	140.00	140.00
ddd) Tractor (Upto 85 HP)	"	300.00	300.00
Tractor with triller	"	440.00	440.00
eee) Vibrator (Engine)	"	120.00	120.00
fff) Compactor, Hand Towed (Upto 200 Kg)	"	80.00	80.00
ggg) Compactor, Hand Towed (350 to 450 Kg)	"	130.00	130.00
hhh) Welking, Arc (10 to 30 KVA)	"	1150.00	1150.00
Petroleum item		0.00	0.00
Petrol	lit	165.50	173.50
Diseal	lit	147.50	161.50
64 Road furniture/goods/other materials from DoR		0.00	0.00
i) Retro-reflective traffic sign	Sqm	0.00	0.00
ii) Painted traffic sign	"	0.00	0.00
iii) Normal cats eye	no.	0.00	0.00

[Handwritten signature]

[Handwritten signature]



[Handwritten signature]

[Handwritten signature]

विनोद कार्की
प्रमुख प्रशासकीय अधिकृत

[Handwritten signature]

	iv) Solar power road stud		0.00	0.00
	v) Traffic signal (Circular or Arrow)	"	0.00	0.00
	vi) Traffic signal control unit	"	0.00	0.00
	vii) Thermoplastic road paint	"	0.00	0.00
	viii) Glass bead	Kg.	599.00	599.00
	ix) Geo-textile 120g	Kg.	0.00	0.00
	ix) Geo-textile 150g	Sqm	74.88	74.88
	x) Traffic Jacket	Sqm	82.88	82.88
	xi) Traffic cone	no.	0.00	0.00
	xii) Planting Board	no.	0.00	0.00
	xiii) Traffic reflective signage (Price without stand pipe)	Sqm	0.00	0.00
	xiv) Super bond XS (Anti-stripping agent)	Sqm	0.00	0.00
	xv) Special additive CZ-500	Kg.	0.00	0.00
65	Bridge Materials		0.00	0.00
	i) Structural Steel with Fabrication	Kg	0.00	0.00
	ii) Reinforcement Steel	Kg	0.00	0.00
	iii) Cutting and Bending	Kg	0.00	0.00
	iv) Φ 13 mm thimble	Pc	0.00	0.00
	v) Φ 26 mm thimble	Pc	0.00	0.00
	vi) Φ 32 mm thimble	Pc	0.00	0.00
	vii) Φ 36 mm thimble	Pc	0.00	0.00
	viii) Φ 40 mm thimble	Pc	0.00	0.00
	ix) Φ 13 mm Bulldog grip	Pc	0.00	0.00
	x) Φ 26 mm Bulldog grip	Pc	0.00	0.00
	xi) Φ 32 mm Bulldog grip	Pc	0.00	0.00
	xii) Φ 36 mm Bulldog grip	Pc	0.00	0.00
	xiii) Φ 40 mm Bulldog grip	Pc	0.00	0.00
	xiv) Steel wire Rope (Right hand ordinary lay,WSC wire strand core,Tensile strength of wire 1570 N/mm ² , Performed, 'A' Heavy Galvanized coating Nondrying lubrication oil and prestretched		0.00	0.00
	a) Φ 13 mm Wire rope	m	0.00	0.00
	b) Φ 26 mm Wire rope	m	0.00	0.00
	c) Φ 32 mm Wire rope	m	0.00	0.00
	d) Φ 36 mm Wire rope	m	0.00	0.00
	e) Φ 40 mm Wire rope	m	0.00	0.00
	xv) Wire mesh netting	m ²	0.00	0.00
	xvi) Sign Board with Fittings (Size - 30cm X 6cm)	Pc	0.00	0.00
	xvii) Bolts, Nuts & Washers (Galvanised 4.6 grade)	Kg	0.00	0.00
	xviii) Hot Dip Galvanization	Kg	0.00	0.00
	xix) Truck Metalled Road	KgxKm	0.00	0.00
	xx) Truck Non-Metalled Road	KgxKm	0.00	0.00
	xxi) Coal tar	Lit	0.00	0.00
	Precast Hume Pipe-dia		0	0.00
	NP2		0	0.00

[Handwritten signature]

[Handwritten signature]



[Handwritten signature]

[Handwritten signature]

विनोद कार्की
प्रमुख प्रशासकीय अधिकृत

[Handwritten signature]

150MM				
200MM		RM	600.00	600.00
		RM	800.00	800.00
R.C.C Spigot Hume pipe (socket system)			0	0.00
NP3			0	0.00
300MM		RM	3286.43	3558.43
450MM		RM	4767.47	5130.47
600MM		RM	6530.14	7058.14
700mm		RM	9012.00	8532.00
900mm		RM	12743.86	13765.86
1000 mm		RM		
1200mm		RM	17230.57	18576.57
1400mm		RM	26768.00	29610.00
RCC ring, 20 cm height, 5 cm thick			0	0.00
28" dia		गोटा	632.00	595.00
36" dia		"	797.00	750.00
42" dia		"	918.00	860.00
48" dia		"	1210.00	1140.00
HDPE pipe (different size, series and pressure) NS-40		kg	299.88	299.88
230 G,230mm X 4-5 mm (9") water stopper		mtr	620.00	620.00
GI threaded			0	0.00
light class			0	0.00
15mm		mtr	217.50	217.50
20mm		mtr	297.02	297.02
25mm		mtr	408.29	408.29
32mm		mtr	522.93	522.93
40mm		mtr	644.45	644.45
50mm		mtr	815.19	815.19
65mm		mtr	1122.43	1122.43
80mm		mtr	1316.55	1316.55
100mm		mtr	1883.47	1883.47
125mm		mtr	3122.72	3122.72
Medium class			0.00	0.00
15mm		mtr	250.98	250.98
20mm		mtr	321.34	321.34
25mm		mtr	480.37	480.37
32mm		mtr	622.68	622.68
40mm		mtr	715.57	715.57
50mm		mtr	975.99	975.99
65mm		mtr	1246.40	1246.40
80mm		mtr	1564.66	1564.66
100mm		mtr	2321.44	2321.44

[Handwritten signature]

[Handwritten signature]

सिद्धि पाखर गाउँपालिका
गाउँ कार्यपालिकाको कार्यालय
बनरपुर, सिन्धुपाल्चोक
बागमती प्रदेश, नेपाल
२०७३

[Handwritten signature]

[Handwritten signature]

विनोद कार्की
प्रमुख प्रशासकीय अधिकृत

[Handwritten signature]

125mm				
150mm		mtr	3126.16	3126.16
200mm		mtr	3840.43	3840.43
Heavy duty				
			0.00	0.00
15mm		mtr	297.10	297.10
20mm		mtr	374.16	374.16
25mm		mtr	559.14	559.14
32mm		mtr	714.83	714.83
40mm		mtr	824.57	824.57
50mm		mtr	1201.28	1201.28
65mm		mtr	1503.55	1503.55
80mm		mtr	1770.35	1770.35
100mm		mtr	2744.89	2744.89
125mm		mtr	3553.16	3553.16
150mm		mtr	4031.22	4031.22
200mm		mtr	6180.66	6180.66
PPR pipe			0.00	0.00
PP-R (PN-10)			0.00	0.00
20 mm outer, 1.9 mm thick, 0.107 kg/m		rm	63.00	56.00
25 mm outer, 2.3 mm thick, 0.164 kg/m		rm	95.00	86.00
32 mm outer, 2.9 mm thick, 0.26 kg/m		rm	152.00	137.00
40 mm, 3.7 mm thick, 0.412 kg/m		rm	239.00	217.00
50 mm, 4.6 mm thick, 0.638 kg/m		rm	372.00	336.00
63mm, 8.6 mm thick, 0.638 kg/m		rm	588.00	533.00
75mm		rm	820.00	743.00
90mm		rm	1181.00	1070.00
110mm		rm	1751.00	1588.00
PP-R (PN-16)			0.00	0.00
20 mm OD 2.8 mm thick 0.148kg/m		rm	84.00	75.00
25mm OD 3.5 ,, thick 0.26kg/m		rm	131.00	118.00
32mm OD 3.7mm thick 0.230kg/m		rm	209.00	188.00
40mm OD 5.5 mm thick 0.575kg/m		rm	335.00	303.00
50mm OD 6.9 mm thick 0.896 kg/m		rm	521.00	473.00
63mm OD 4.6 mm thick 0.638kg/m		rm	820.00	1061.00
	75mm OD	rm	1169.00	1061.00
	90mm OD	rm	1670.00	1514.00
	110mm OD	rm	2501.00	2269.00
PN-20			0.00	0.00
20 mm 3.4mm thick 0.172kg/m		rm	100.00	90.00
25mm 4.2mm thick 0.266kg/m		rm	155.00	140.00
32mm 5.4mm thick 0.434kg/m		rm	252.00	228.00
40mm 6.7mm thick 0.671kg/m		rm	390.00	354.00
50mm 8.3mm thick 1.04kg/m		rm	605.00	549.00
63mm 8.6mm thick 1.04 kg/m		rm	960.00	870.00

[Handwritten signature]

सिन्धु पाखर गाउँपालिका
गाउँ कार्यपालिकाको कार्यालय
बैतुरपु, सिन्धुपाल्चोक
बागमती प्रदेश, नेपाल
२०७३

[Handwritten signature]

विनोद कार्की
प्रमुख प्रशासकीय अधिकृत

[Handwritten signature]

	75mm OD	rm	1361.00	1234.00
	90mm OD	rm	1955.00	1772.00
	110mm OD	rm	2915.00	2643.00
ROOFTOP PVC WATER TANK				
i) 200 lit - 5000 lti capacity		LTR	11.28	11.28
ii) 5000 lit - 10,000 lit capacity		LTR		
iii) Horizontal PVC water tank		LTR		
stainless steel water tank (304 grade steel)with all complete set			0.00	0.00
500 lit		गोटा	12124.00	12124.00
1000 lit		गोटा	17699.00	17699.00
1500 lit		गोटा	27212.00	27212.00
2000 lit		गोटा	32743.00	32743.00
580mm white glazed porcelain Orisa Pan		सेट	3371.00	3371.00
580 mm size white glazed Indian Pan		सेट	1049.00	1049.00
syphone "P" or "S" type		सेट	590.00	590.00
Procelain wash basin(500x400cm) size (simple)		set	1095.00	1070.00
Commode			0.00	0.00
white galzed percelain clay EWC constelation commode with 'P' & 'S' trap and seat cover set		set	1587.00	18119.00
white galzed percelain clay EWC constelation commode with 'P' / 'S' trap		set	1825.00	1825.00
New Item			0	0.00
घांस ,दुबो		sqm	12.50	12.50
carved stone		cum	0	0.00
superplasticizer (Coreplast SP2 for M25-30)		kg	125.00	125.00
silica cement admixer		kg	300	300.00
पानी चूहेको स्थानमा water proofing गर्न OPAL - बाट उत्पादित निर्माण सामग्रीहरु, White liquid acrylic polymer admixer for water proofing cementious coating in slurry form as well as cement mortar form, it is to be mixed with cement of mortar for excellent water proofing coating		Sq ft	40	41.00
3mm thick UPVC Roofing sheet (Double mesh tile or re		sqm	1506	1525.00
Ridge cover regular profile 1.10RM		r.m	1925	2021.00
Ridge cover tile profile 1.05RM		r.m	1925	2021.00
Submerssible water pump for pumping water (Italian)		nos	0	0.00
1hp		nos	27393.45	28488.60
2 hp		nos	50816.85	52848.60
2.5 hp		nos	68250	68250.00
3 hp		nos	84000	84000.00
4hp				93907.00
5 hp		nos	95000	95000.00
Vertical Submersible pump			1575	0.00

[Handwritten signature]



[Handwritten signature]

विनोद कार्की
प्रमुख प्रशासकीय अधिकृत

[Handwritten signature]

1.1 H.P			
	nos	25607.4	29750.70
1.5 H.P			
	nos	31228.05	35961.45
Non-Submersible water pump for pumping water			
		0	0.00
2 hp	nos	23716.35	24664.50
2 hp 3 phase water pump	nos	25039.35	26040.00
5 hp 3 phase water pump	nos	30088.8	31292.10
Brass Tap-1/2"			
		0	0.00
400 gm heavy	pcs	830.50	750.00
ordinary	pcs	188.10	205.00
छाना छाउने स्लेट ढुङगा, ०.७५ inch thick	sqft	65	61.00
cost of water	lit	0.61	0.57
600mmx600mm Flase Ceiling Board	sqft	199.93	95.00
wall putty plain	kg	38	70.60
roller (3-6 mt)	hr	800	800.00
lime	cum	0.00	0.00
surkhi	cum	0.00	0.00
10 mm vetrified tile(24"*24")	sqft	111	118.00
adhesive	kg	3000	3000.00
3 mm teak plywood	sqft	48	62.55
4 mm teak plywood	sqft	60	81.97
६०*६० मि मि साइज केसमेन्ट किसिमको ५ मि.मि. डबल शिशा सहित	sqm	7493.00	7493.00
६०*६० मि.मि. साइज स्वीग ढोका ५ मि.मि. शिशा सहित	sqm	9991.00	9991.00
५०*८० मि.मि. स्लाइडिंग किसिमको ५ मि.मि. शिशा र एल्युमिनियम स्लाइड सहित	sqm	7215.00	7215.00
J-Hook	No	20.00	20.00
U-Hook	No	2.00	2.00
micro silica	kg	110	110.00
oxylic acid	kg	138.39	138.39
carburundum	kg	465.13	465.13
3 mm upvc pipe	sqm	1506	1506.00
clip	no	26	26.00
फलामे गिल ३*२० मी.मी.	kg	130	130.00
Fibracation of Chain link mesh of Size			
12 S.W.G. G. I. Chain Link 1.5"*1.5" को मेस	sqm	810	810.00
10 S.W.G. G. I. Chain Link २"*२" को मेस	sqm	642	642.00
10 S.W.G. G. I. Chain Link ३"*३" को मेस	sqm	526	526.00
Machine		0.00	0.00
pump for pumping water rent	hr	150	150.00
roller (3-6 mt)	hr	800	800.00
1 ton roller	hr	550	550.00
प्लेन पाता (०.५० मि.मि.) G1	sq ft	1558	1558.00
रंगीन प्लेन पाता G1	sqft	1788	1788.00

[Handwritten signature]

[Handwritten signature]

सिन्धु पाखर गाउँपालिका
गाउँ कार्यपालिकाको कार्यालय
बतारपुर, सिन्धुपाल्चोक
बागमती प्रदेश, नेपाल
२०७३

[Handwritten signature]

विनोद कार्की
प्रमुख प्रशासकीय अधिकृत

[Handwritten signature]

१०*१० मि.मि. साइज केसमेन्ट किसिमको ५ मि.मि. डबल शिशा सहित	sqm	7493	7493.00
३*२० मि.मि. फलामे पिल बनाइ जड्ने		0	0.00
rcc collar 300 mm NP3	pcs	883	783.00
rcc collar 450 mm NP3	pcs	1125	1125.00
rcc collar 600 mm NP3	pcs	1550	1550.00
rcc collar 1000 mm NP3	pcs	3382	3382.00
rcc collar 1200 mm NP3	pcs	4024	4024.00
rcc collar 900 mm NP3	pcs	3042	3042.00
caping layer material	cum	550.8	550.80
grader motor 135 hp	hr	1200	1200.00
combination vibratory roller	hr	900	900.00
Ms Flat	KG	100	100.00
concrete mixer	hr	1000	1000.00
CI Manhole cover including Frame		0	0.00
Round Manhole cover Medium 450 mm	no	4487	4487.00
Round Manhole cover heavy 450 mm	no	8848	8848.00
Round Manhole cover Medium 500 mm	no	7063	7063.00
Round Manhole cover heavy 500 mm	no	10565	10565.00
CI Manhole cover including Frame		0	0.00
Square Manhole cover Medium 12"x12"(wt-5kg)	no	836	835.00
Square Manhole cover Medium 14"x14"(wt-7kg)	no	1171	1247.00
Square Manhole cover Medium 16"x16"(wt-10kg)	no	1673	1671.00
Square Manhole cover Medium 18"x18"(wt-14kg)	no	2509	2598.00
Square Manhole cover Medium 24"x24"(wt-24kg)	no	4294	4659.00
C.I tank Cover locking type round		0	0.00
18" (8kg)	set	1673	1934.00
20" (12 kg)	set	2454	2837.00
22" (14 kg)	set	2788	3222.00
24" (16 kg)	set	3346	3868.00
28" (24 kg)	set	5019	5802.00
Pump Control system(metal Enclosure with MCB, Contactor,Phase Sequence protection,Overload protection and sensor set)		0	0.00
i) Upto 1/2 hp single phase motor	set	4303	4303.00
ii) 1 to 3 hp single phase motor	set	5917	5917.00
iii) 3 to 5 hp single phase motor	set	9682	9682.00
PVC insulator Black Copper wire		0	0.00
7-22 wire	Coil(per coil 90m)	2636	2636.00
3-22 wire	Coil(per coil 90m)	1183	1183.00
Thermo plastic paint	lit	599	599.00
Hot dip galvanized Corrugated W beam sheet 3 mm thick	kg	51	51.00
Hot dip galvanized Channel post 150 x 75 x 5 mm,	kg	51	51.00
Hot dip galvanized Spacer Channel 150 x 75 x 5 mm	kg	51	51.00

[Handwritten signature]

[Handwritten signature]



[Handwritten signature]

विनोद कार्की
प्रमुख प्रशासकीय अधिकृत

[Handwritten signature]

Grass Turfing	cu.m	132.48	132.48
R seal	r.m	925.3451327	925.35
New Item added 08/0/81			
PVC PIPE 6kg/cm2			
40mm	RM	66	66.00
50mm	RM	99	99.00
63mm	RM	159	159.00
75mm	RM	222	222.00
90mm	RM	320	320.00
110mm	RM	462	462.00
CPVC PIPE SDR 11 (28.1 kg/cm2)-ASTM F-493 2846			
1/2"	RM	139	139.00
3/4"	RM	189	189.00
1"	RM	264	264.00
1-1/4"	RM	319	319.00
1-1/2"	RM	445	445.00
2"	RM	721	721.00
Kota Stone			
1" Thick	Sq.ft	159	159.00
3/4" Thick	Sq.ft	146	146.00
गुम्बाको गेटमा प्रयोग हुने बुटाहरुमा रगको प्रयोग			
मृग (२५ इ फिट)	nos	10000	10000
खोलो (४ फि ३० इ)	nos	10000	10000
खिना (१२ इ इ)	nos	235	235.00
पेमा (१२ इ इ)	nos	235	235.00
तोक	nos	2500	2500.00
गुटखा (८ इ इ)	nos	1600	1600.00
छेचा पेमा	nos	1500	1500.00
खिना पेमा	nos	900	900.00
भिम पट्टा	nos	9000	9000.00
ज्यू	nos	6000	6000.00
घाँटी	nos	5000	5000.00
चेपेन	nos	4000	4000.00
दुडरील	nos	4000	4000.00
पेरा	nos	4000	4000.00
टासी ताके	nos	4800	4800.00
गुम्बा भित्र प्रयोग हुने बुटाको रंग			
भिमको लेन्ज	nos	700	700.00
भिम पन्टा	nos	1000	1000.00
भिम चर	nos	6250	6250.00
पिलर	nos	22000	22000.00
वाल सेम्फुक	feet	650	650.00
दोर्जे देडा	nos	650	650.00

[Handwritten signature]

[Handwritten signature]

सिन्धु पाखर गाउँपालिका
गाउँ कार्यपालिकाको कार्यालय
भतरपुर, सिन्धुपाल्चोक
बागमती प्रदेश, नेपाल
२०७३

[Handwritten signature]

विनोद कार्की
प्रमुख प्रशासकीय अधिकृत

[Handwritten signature]

गजुर निर्माणसँग सम्बन्धित			
रङ्ग (सुनोली)	ltr	2650	2650.00
तामा	kg	2550	2550.00
Flash Acrylic gold plus paint	lit	1971.2	1971.20



विनोद कार्की
प्रमुख प्रशासकीय अधिकृत

Norms of Plant and Machinery (Revision one, Date: 2080-06-0)

SN	Equipments	Activity/ Usages	Ownership Cost (NRs/Hr)	Servicing (NRs/Hr)	Maintenance (NRs/Hr)	Fuel (L/hr)	Electricity (Units/hr)	Fuel/Oil (Heating)	Crew, hr Skilled	Assistant/ Helper/ Unskilled
1	Air compressor /compressor with pneumatic breaker	General	192	42	50	5.73			1.00	
2	Asphalt Plant (Batch mix HMP/Drum mix plant/Hot Mix Plant)	Asphalt/DBM Production	693	108	173	6.91	15.00	200.00	1.00	2.00
3	Batching Plant	Concrete Production	352	44	88	6.14	25.00		1.00	2.00
4	Bentonite pump	Drilled Hole Stabilization	26	3	8		2.00			
5	Bitumen boiler	Bitumen Heating	40	3	8	1.96		5.00		
6	Bitumen pressure distributor/Bitumen Distributor/ Bitumen Sprayer	Bitumen Spray	443	63	176	10.24		3.00	1.00	1.00
7	Chip spreader	Surface Dressing/Chips Seal/Otta	196	30	64	7.06			1.00	1.00
8	Cold mix plant	Cold Mix Asphalt/Premix	375	50	75	3.89	20.00		1.00	1.00
9	Concrete Pump	Concreting	80	5	10	3.06			1.00	1.00
10	Crane	Lifting	820	145	338	10.13			1.00	1.00
11	Crane (3 T)	Lifting	599	106	170	6.75			1.00	1.00
12	Crane 15 t capacity	Lifting	1,147	163	431	14.63			1.00	1.00
13	Crane with grab bucket/dredger	Dredging	1,000	120	200	8.96			1.00	1.00
14	Dozer	Earthwork	1,300	330	550	14.14			1.00	1.00
15	Drilling machine with bit and accessories	Earth Hole Drilling	126	24	36	1.30			1.00	1.00
16	Electric generator	Electricity	77	10	17	4.54			1.00	1.00
17	Electric hand driller (HDEP work)	Hole Drilling	105	0	10		1.00			
18	Electric heating plate	Connection work	63	6	12		1.00			
19	Emulsion pressure distributor	Emulsion distribution	46	4	8	1.15			1.00	1.00
20	Excavator	Excavation/Earthwork	620	165	275	14.40			1.00	1.00
21	Grout Injection Equipment	Crack Repair	68	12	24		1.00		1.00	1.00
22	Grouting pump with agitator	PSC Bridge construction related.	147	28	56		2.00		1.00	1.00
23	Hacking Machine	Jacketing purpose	42	8	16	1.30			1.00	1.00
24	Hydraulic Jack (40 tonne capacity)	Bearing Installation/Repair	105	20	40	0.00				
25	Hydraulic Jack (required capacity normally 200 tonne)	Bearing Installation/Repair	256	33	56		5.00			
26	Jack hammer /Rock drill / Portable rock driller	Earthwork	22	3	5	1.62				

Government of Nepal
Ministry of Physical Infrastructure and Transport
Department of Roads

Norms of Plant and Machinery (Revision one, Date: 2080-06-0)

SN	Equipments	Activity/ Usages	Ownership Cost (NRs/Hr)	Servicing (NRs/Hr)	Maintenance (NRs/Hr)	Fuel/Electricity Demand			Crew, hr		Assistant, hr Helper / Unskilled
						Fuel (L/hr)	Electricity (Units/hr)	Fuel Oil (Heating)	Skilled	Unskilled	
27	Loader	Material Loading	543	136	227	9.79			1.00		
28	Mastic cooker	Mastic Asphalt Production	69	5	16		1.00	2.88	1.00		1.00
29	Mixture machine/Concrete Mixture Machine	Concrete Production	31	3	11	1.92			1.00		1.00
30	Mobile slurry seal equipment	Maintenance	211	32	86	6.07			1.00		1.00
31	Motor grader	Laying	1,016	256	351	8.67			1.00		1.00
32	Paver finisher	Asphalt	775	119	298	6.94			1.00		1.00
33	Piling rig (with all accessories)	Pile Construction upto 1.2m	1,600	267	267	7.84			1.00		1.00
34	Plate compactor/power rammer	Light Compaction	54	9	19	1.46			1.00		
35	Pneumatic roller/Pneumatic tired roller	Compaction	539	57	296	8.19			1.00		
36	Premix Mixer	Premix Production	115	25	25	4.25		20.00	1.00		1.00
37	Road marking machine	Thermoplastic Painting	92	8	21	1.30					
38	Road sweeper/Mechanical broom	Sweeping	297	34	68	6.40			1.00		
39	Screw Jack	Pipe Connection	53	0	0						
40	Smooth wheeled roller/Smooth 3 wheeled steel roller	Compaction	173	13	40	5.40			1.00		
41	Stressing jack with pump	Prestressing	104	8	20		1.00				
42	Tipper	Transportation/Carry	148	23	55	6.76			1.00		1.00
43	Tractor with ripper attachment/Tractor Trolley	Ripping/Carry	83	13	33	4.50			1.00		1.00
44	Truck flat body/Trailer	Carry	532	37	153	10.80			1.00		1.00
45	Vibratory roller	Compaction	461	66	159	7.29			1.00		
46	Water Tanker	Watering	270	38	110	4.32			1.00		
47	Wet mix plant	Base Production	433	67	100		30.00		1.00		1.00
48	Cutter (Bitumen Pavement/RCC Cutter)	Cutting	166	8	12	1.22					

Note :
District Rate Crew/hr = 30x Daily Rate (8*26)
District Rate Assistant/hr = 30x Daily Rate (8*26)
Fuel Cost = Fuel Demand x Fuel Cost per liter at site / 1.13
Electricity Cost = Electricity Demand x Electricity Unit Cost

Crew/Assistant Cost = (Crew/hr x District Rate of Crew/hr) + (Assistant, hr x District Rate of Assistant/hr)
Rate of Plant & Machinery = Ownership Cost + Operational Cost (Servicing Cost + Maintenance Cost + Crew/Assistant Cost + Fuel/Electricity Cost)